

Document: 483026

16 July 2008

**Chairperson and Members
Consents and Regulatory Committee**

Notice of Meeting

Notice is hereby given that a meeting of the **Consents and Regulatory Committee** will be held in the Taranaki Regional Council Chambers, 47 Cloten Road, Stratford on:

Tuesday 22 July 2008 commencing at 10.30am.

B G Chamberlain
Chief Executive

**THE TARANAKI REGIONAL COUNCIL REQUESTS THAT THIS
AGENDA REMAINS EMBARGOED UNTIL COMMENCEMENT OF THE
MEETING**

Agenda for the meeting of the Consents and Regulatory Committee of the Taranaki Regional Council to be held in the Taranaki Regional Council Chambers, 47 Cloten Road, Stratford on Tuesday 22 July 2008 commencing at 10.30 am.



Councillors		D L Lean	(Chairperson)
		M J Cloke	
		M G Davey	
		M A Irving	
		B R Jeffares	
		M P Joyce	
		B J Marsh	
		R F H Maxwell	
		N W Walker	
		D N MacLeod	(ex officio)
In attendance	Messrs	B G Chamberlain	(Chief Executive)
		M J Nield	(Director-Corporate Services)
		G K Bedford	(Director-Environment Quality)
		A D McLay	(Director-Resource Management)
		C H McLellan	(Consents Manager)
		P D Ashe	(Monitoring Manager)
		B E Pope	(Compliance Manager)
		P Ledingham	(Information Officer)
	Mrs	K van Gameren	(Committee Administrator)
	Mr	Wolfgang Leeb	(OMV New Zealand Limited)
	Mr	Nicholas Cavaye	(OMV New Zealand Limited)

Apologies

Notification of Late Items

		Pages
<u>Item 1</u>	Confirmed Minutes: Consents and Regulatory Committee – 11 June 2008	1 – 5
<u>Item 2</u>	Non-notified resource consents and exercise of delegations	6 – 27
	• Recommendations	6

<u>Item 3</u>	Resource consents from other consent authorities	28 – 30
	• Recommendations	28
<u>Item 4</u>	Maari Project Update and Presentation	31 – 32
	• Recommendations	32
<u>Item 5</u>	Hearing Committee’s report and decision on three resource consent applications by Normanby Power Limited	33 - 35
	• Recommendations	35
<u>Item 6</u>	Consent monitoring annual reports	36 - 44
	• Recommendations	44
<u>Item 7</u>	Unauthorised Incident Register 26 May 2008 to 30 June 2008	45 – 60
	• Recommendations	45
<u>Item 8</u>	General Business	
<u>Item 9</u>	Public Excluded	

THAT the Taranaki Regional Council:

resolves that the public be excluded from the following part of the proceedings of this Consents and Regulatory Committee of the Taranaki Regional Council, namely:

- Item 10: Confidential Minutes
Consents & Regulatory Committee
12 February 2008**
- Item 11: Unauthorised Incident**

The general subject of each matter to be considered while the public is excluded, the reason for passing this resolution in relation to each matter, and the specific grounds under section 48(1) of the Local Government Official Information and Meetings Act 1987 for the passing of this resolution are as follows:

General subject of each matter to be considered	Reason for passing this resolution in relation to each matter	Grounds under section 48(1) for the passing of this resolution
Item 10 – Unauthorised Incident	Where the disclosure of the information would likely prejudice the maintenance of the law, including the prevention, investigation and detection of offences, and the right to a fair trial.	NZS9202:2003 Incorporating Amendment No. 1 A1(a)
Item 11 – Unauthorised Incident	Where the disclosure of the information would likely prejudice the maintenance of the law, including the prevention, investigation and detection of offences, and the right to a fair trial.	NZS9202:2003 Incorporating Amendment No. 1 A1(a)

<u>Item 10</u>	Prosecution – A Mouland, B Cudby and Hawera Contractors for non-compliance with the Resource Management Act for an illegal cleanfill operation	1 - 73 Refer to confidential agenda
	<ul style="list-style-type: none">• Recommendations	4
<u>Item 11</u>	Taranaki By-Products Limited – Unauthorised discharge – objectionable odours to air beyond the property boundary	74 - 105 Refer to confidential agenda
	<ul style="list-style-type: none">• Recommendations	75

Minutes of the Consents and Regulatory Committee Meeting of the Taranaki Regional Council, held in the Taranaki Regional Council Chambers, 47 Cloten Road, Stratford, on Wednesday 11 June 2008 at 10.30 am.

Present	Councillors	D L Lean	(Chairperson)
		M J Cloke	
		M A Irving	
		B R Jeffares	
		M B Marsh	
		R F H Maxwell	
		N W Walker	
		D N MacLeod	(ex officio)
In attendance	Messrs	B G Chamberlain	(Chief Executive)
		A D McLay	(Director-Resource Management)
		G K Bedford	(Director-Environment Quality)
		M J Nield	(Director-Corporate Services)
		C H McLellan	(Consents Manager)
		P D Ashe	(Monitoring Manager)
		B E Pope	(Compliance Manager)
		C Fowles	(Scientific Officer)
		Mrs	K van Gameren

Apologies The apologies from Councillor M G Davey and Councillor M P Joyce were received and sustained.

Notification of Late Items There were no late items of business.

1. Confirmed Minutes: Consents and Regulatory Committee - 29 April 2008

Recommended

THAT the Taranaki Regional Council

1. receives the confirmed minutes of the Consents and Regulatory Committee meeting held on Tuesday 29 April 2008 at 10.30 am.

Matters Arising

There were no matters arising.

2. Non- notified resource consents and exercise of delegations

- 2.1 The Committee considered and discussed the memorandum advising the Committee of non-notified consents/certificates of compliance granted under delegated authority and of consent processing actions since the last meeting.
- 2.2 The exercise of delegations under the Resource Management Act 1991 was reported for information.

Recommended

THAT the Taranaki Regional Council

1. receives the schedule of non-notified resource consents/certificates of compliance granted under delegated authority
2. receives the schedule of consent processing delegations.

08/109

Lean/Marsh

3. Reports on two applications for limited-notified resource consents: Roger Dickie Family Trust – review water take consent 5807 and Kohi Beach Farm Limited – vary water take consent 4783

- 3.1 Mr C H McLellan, Consents Manager, spoke to the memorandum recommending that the Taranaki Regional Council approve applications following the limited-notified resource consent process, for the Roger Dickie Family Trust and Kohi Beach Farm Limited.

Resolved

THAT the Taranaki Regional Council

1. receives the memorandum
2. approves the application by Kohi Beach Farm Limited (application 2518 for change to conditions to consent 4783) subject to Council's general consent conditions and the special conditions contained in the Council's officers report

3. approves the application by the Roger Dickie Family Trust (application 4678 for review of consent 5807) subject to Council's general consent conditions and the special conditions contained in the Council's officers report.

08/110

Walker/Marsh

4. R A Wallis Limited – Environment Court decision and assessment

- 4.1 Mr A D McLay, Director-Resource Management, spoke to the memorandum providing an assessment of the Environment Court's decision on the R A Wallis Limited quarry resource consent applications and appeals, whereby the Environment Court on 19 May 2008 upheld the appeals and declined all the applications including two applications to the Council for resource consents.

Recommended

THAT the Taranaki Regional Council

1. receives the memorandum
2. notes the Environment Court's decision to uphold the appeals and decline all the applications primarily on the grounds of the adverse environmental effects of the landuse consent applications to the South Taranaki District Council
3. notes the Council was unable to defend its decision before the Environment Court.

08/111

Marsh/Jeffares

5. Consent monitoring annual reports

- 5.1 Mr G K Bedford, Director-Environment Quality, spoke to the memorandum outlining 10 tailored monitoring programme annual reports for the 2006-2007, 2004-2007 and 2005-2007 monitoring periods.
- 5.2 Members noted and discussed the reports relating to the Mangati Stream Catchment, Waiwhakaiho Airshed Monitoring, Osflo Spreading Industries and PEL Waste Services Limited.

Recommended

THAT the Taranaki Regional Council

1. receives the PEL Waste Services Limited (formerly Perry Environmental Limited) Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein

2. receives the Osflo Spreading Industries Ltd Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein
3. receives the Waitaha Catchment Joint Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein
4. receives the Mangati Stream Catchment Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein
5. receives the Waiwhakaiho Airshed Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein
6. receives the Dow AgroSciences Ltd Monitoring Programme Report 2002-2007 and adopts the specific recommendations therein
7. receives the TrustPower Ltd Mangorei Hydroelectric Power Scheme Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein
8. receives the Stratford District Council Huiroa, Pukengahu and Stratford Landfill Resource Consents Monitoring Programme Biennial Report 2005-2007 and adopts the specific recommendations therein
9. receives the South Taranaki District Council Central landfill Baseline Monitoring Programme Triennial Report 2004-2007 and adopts the specific recommendations therein
10. receives the South Taranaki District Council Hawera Municipal Oxidation Ponds System Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein.

08/112

MacLeod/Cloke

6. Release of report on Patea freezing works site investigations

- 6.1 Mr G K Bedford, Director-Environment Quality, spoke to the memorandum advising the Committee of the release of a report prepared by Council staff on the findings of an investigation into the possible levels of contamination at the site of the Patea freezing works.

Recommended

THAT the Taranaki Regional Council

1. receives the memorandum noting the release of the report Patea Freezing Works Detailed Site Investigation Report (Taranaki Regional Council May 2008)
2. notes the findings of the investigation, that the significant risks remaining at the site relate to asbestos and PCB's on the site, and there is no evidence of discharges from the site of environmental concern

3. notes the issues of liability remain outstanding.

08/113

Irving/Maxwell

**7. Unauthorised Incident Register
10 April 2008 to 25 May 2008**

7.1 The Committee received and considered the Unauthorised Incidents Register for the period 10 April 2008 to 25 May 2008.

Recommended

THAT the Taranaki Regional Council

1. receives the Unauthorised Incidents Register for the period 10 April 2008 to 25 May 2008 and adopts the recommendations therein.

08/114

Lean/Walker

8. General Business

There were no items of general business.

There being no further business, the Chairperson Mr D L Lean declared the Consents and Regulatory Committee meeting closed at 11.10 am.

Confirmed

Chairperson: _____
D N MacLeod

Date: **1 July 2008**

ITEM TWO

22 July 2008

[Back to index](#)

**Memorandum to
Chairperson and Members
Consents and Regulatory Committee**

Non-notified resource consents and exercise of delegations

Purpose

1. This memorandum advises the Committee of non-notified consents / certificates of compliance granted and of consent processing actions since the last meeting.

Background

2. The following resource consent / certificate of compliance applications have been investigated by technical officers of the Taranaki Regional Council and reported to be activities with minor adverse effects on the environment. In accordance with sections 104 to 108 and section 139 of the Resource Management Act 1991, and pursuant to delegated authority to make decisions on non-notified consent applications, the Chief Executive or the Director—Resource Management has granted the consents / certificates of compliance.
3. The exercise of delegations under the Resource Management Act 1991 is reported for Committee Members' information. Under the delegations, consent processing actions are to be reported to the Consents and Regulatory Committee.

Recommendations

THAT the Taranaki Regional Council:

1. receives the schedule of non-notified resource consents / certificates of compliance granted under delegated authority; and
2. receives the schedule of consent processing delegations.

Approved:

A D McLay
Director—Resource Management

B G Chamberlain
Chief Executive

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

Consent	Holder	Subtype
Coastal Permit		
4596-2	New Plymouth District Council	Structure - Stormwater Outlet (Coastal)
5102-4	New Plymouth District Council	Structure - Protection (Coastal)
7318-1	Sarten R & L Trusts Partnership	Structure - Wharf/Marina/Jetty (Coastal)
Discharge Permit		
0334-3	Kaimara Family Trust	Discharge Agricultural
0402-3	BA & SM Knowles	Discharge Agricultural
0608-3	New Plymouth District Council	Discharge Nonagricultural
0650-3	RN & AP Dobson	Discharge Agricultural
0672-3	New Plymouth District Council	Discharge Nonagricultural
0673-3	New Plymouth District Council	Discharge Nonagricultural
0993-3	Majek Trust	Discharge Agricultural
1054-3	M Simpson	Discharge Agricultural
1076-3	MJ & RA Oliver	Discharge Agricultural
1131-3	Pakiruas Family Trust	Discharge Agricultural
1141-3	Foreman Farms Limited	Discharge Agricultural
1275-3	New Plymouth District Council	Discharge Nonagricultural
1347-3	Hebdon Bridge Limited	Discharge Agricultural
1349-3	PC & D Schimanski	Discharge Agricultural
1351-3	Alpine Farms Limited	Discharge Agricultural
1477-3	Gralyn Family Trust Partnership	Discharge Agricultural
1507-3	RN & SEJ Topping	Discharge Agricultural
1582-3	SJ & ER Rowe	Discharge Agricultural
1599-3	Melpaca Trusts	Discharge Agricultural
1613-3	Udderfield Limited	Discharge Agricultural
1684-3	BJ & L Kowalewski	Discharge Agricultural
1689-3	Gracelands Farm	Discharge Agricultural
1698-3	RK & DL Hitchcock	Discharge Agricultural
1699-3	TG & VM Rawlinson	Discharge Agricultural
1740-2	Maolla Trust	Discharge Agricultural
1760-2	AR & MM Luckin	Discharge Agricultural
2070-2	Alpine Farms Limited	Discharge Agricultural

2080-2	Wainui Dairies Partnership	Discharge Agricultural
2283-2	Ogle L & D Trust Partnership	Discharge Agricultural
2336-3	ABB Limited	Discharge Nonagricultural
2337-3	Halliburton New Zealand Limited	Discharge Nonagricultural
2409-2	Tokaora Farms Limited	Discharge Agricultural
3668-2	Todd Taranaki Limited	Discharge Nonagricultural
3730-2	Kavanagh Trust Partnership	Discharge Agricultural
3971-2	Berridge Pet Food	Discharge Nonagricultural
4268-2	NW & MJ Dunn	Discharge Agricultural
4304-2	Brydendale Partnership	Discharge Agricultural
4329-2	W & M Seifert	Discharge Agricultural
4341-2	LC & KV Eggers	Discharge Agricultural
4357-2	Te Awarua Farms Limited	Discharge Agricultural
4361-2	JG Potroz	Discharge Agricultural
4497-3	Olex New Zealand Limited	Discharge Nonagricultural
5163-2	New Plymouth District Council	Discharge Nonagricultural
7124-1	B & K Roach Farms	Discharge Agricultural
7263-1	Lepperton Farms Limited	Discharge Agricultural
7274-1	Ponga & Pukeko Family Trust	Discharge Agricultural
7290-1	Todd Taranaki Limited	Discharge Nonagricultural
7306-1	Twelve Gauge Limited	Discharge Nonagricultural
7309-1	Twelve Gauge Limited	Discharge Nonagricultural
7311-1	Hawkswood Park Limited	Discharge Nonagricultural
7312-1	Hawkswood Park Limited	Discharge Nonagricultural
7325-1	Jimco Family Trust	Discharge Agricultural
7327-1	Fabish Bros Farms Limited	Discharge Agricultural
7328-1	Bowick Sodablast Taranaki Limited	Discharge Nonagricultural
7329-1	Taranaki By-Products Limited	Discharge Nonagricultural
7333-1	New Plymouth District Council	Discharge Nonagricultural
Land Use Consent		
7310-1	New Plymouth District Council	Structure - Bridge
7315-1	Whitaker Civil Engineering Limited	Structure - Culvert
7316-1	Oceanview Trust / Nigel Chapman	Disturb
7321-1	Hawkswood Park Limited	Dam/Weir

7326-1	DJ & REG Goodwin	Disturb
7330-1	New Plymouth District Council	Disturb
7340-1	Hoopman Family Trust	Disturb
Water Permit		
7334-1	New Plymouth District Council	Take and Use Groundwater

**Non-notified consents (and certificates of compliance where applicable) issued by the
Taranaki Regional Council between 30 May 2008 and 10 July 2008**

4596-2 5087 Renewal: 30 May 2008
New Plymouth District Council (NEW Expiry Date: 1 June 2026
PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342 Review Date: June 2014, June 2020
Location: Fitzroy and East End Beaches, New Plymouth
Purpose: To erect, place and maintain two stormwater outlet structures, and to occupy the
associated coastal space, on East End and Fitzroy Beaches within the coastal marine
area...also 1695049E-5677690N

5102-4 5102 Renewal: 30 May 2008
New Plymouth District Council (NEW Expiry Date: 1 June 2026
PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342 Review Date: June 2014, June 2020
Location: Wanaka Terrace / Mangati Road / Tiromoana Crescent, Bell Block
Purpose: To erect, place and maintain a boulder rock revetment seawall of approximately
740 metres in length, and to occupy the associated coastal space, at Bell Block for coastal
erosion protection purposes ...also 1699830E-5680640N

7318-1 6002 Granted: 30 June 2008
Sarten R & L Trusts Partnership Expiry Date: 1 June 2027
P O Box 49 WAITARA Review Date: June 2015, June 2021
Location: Batch 2, Onaero Domain, Onaero
Purpose: To maintain an existing boat jetty in the Onaero River and to occupy the related
space in the coastal marine area

0334-3 5125 Renewal: 16 June 2008
Kaimara Family Trust □ R Swindlehurst Expiry Date: 1 December 2027
41A Kaiapoi Road R D 24 STRATFORD Review Date: June 2015, June 2021
Location: Kaiapoi Road, Midhirst
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system
into an unnamed tributary of the Manganui Stream in the Waitara catchment

0402-3 5126 Renewal: 4 June 2008
BA & SM Knowles Expiry Date: 1 December 2027
300 Salisbury Road R D 24 STRATFORD Review Date: June 2015, June 2021
Location: 300 Salisbury Road, Stratford
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system
and a constructed drain/wetland into an unnamed tributary of the Manganui River in the
Waitara catchment

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

0608-3 5036
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342
Location: 175 Connett Road, Bell Block
Purpose: To discharge stormwater from the Connett Road industrial subdivision into the Waitaha Stream... also 1700868E-5678621N

Renewal: 10 June 2008
Expiry Date: 1 June 2026
Review Date: June 2014, June 2020

0650-3 5130
RN & AP Dobson
P O Box 79 INGLEWOOD
Location: 676 Lincoln Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Mangapotoa Stream, a tributary of the Manganui River in the Waitara catchment

Renewal: 17 June 2008
Expiry Date: 1 December 2027
Review Date: June 2015, June 2021

0672-3 5038
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342
Location: Junction Road, New Plymouth
Purpose: To discharge wastewater from a water treatment plant into an unnamed tributary of the Mangorei Stream in the Waiwhakaiho catchment

Renewal: 30 May 2008
Expiry Date: 1 June 2026
Review Date: June 2014, June 2020

0673-3 5001
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342
Location: Junction Road, New Plymouth
Purpose: To discharge stormwater from a water treatment plant into an unnamed tributary of the Mangorei Stream in the Waiwhakaiho catchment

Renewal: 30 May 2008
Expiry Date: 1 June 2026
Review Date: June 2014, June 2020

0993-3 5136
Majek Trust □ Kathy & Chris Prankerd
51 Johns Road R D 8 INGLEWOOD 4388
Location: Johns Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a wetland into an unnamed tributary of the Waitepuke Stream, a tributary of the Manganui River in the Waitara catchment

Renewal: 25 June 2008
Expiry Date: 1 December 2027
Review Date: June 2015, June 2021

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

1054-3 5138
M Simpson
220 Ngaro Road R D 10 INGLEWOOD
Location: Ngaro Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Manganui Stream in the Waitara catchment

Renewal: 17 June 2008
Expiry Date: 1 December 2027
Review Date: June 2015, June 2021

1076-3 5139
MJ & RA Oliver
286 Suffolk Road R D 8 INGLEWOOD 4388
Location: 286 Suffolk Road, Inglewood
Purpose: To discharge partially treated farm dairy effluent by holding pond and spray irrigation onto and into land

Renewal: 17 June 2008
Expiry Date: 1 December 2027
Review Date: June 2015, June 2021

1131-3 5141
Pakiruas Family Trust □ BJ & TL Telfer
367 Surrey Road R D 8 INGLEWOOD
Location: Surrey Road, Tariki
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed wetland into an unnamed tributary of the Mangamawhete Stream in the Waitara catchment

Renewal: 16 June 2008
Expiry Date: 1 December 2027
Review Date: June 2015, June 2021

1141-3 5142
Foreman Farms Limited □ JS & MF Foreman
766 Hursthouse Road R D 9 INGLEWOOD
Location: Bristol Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a wetland into the Kurapete Stream, a tributary of the Manganui River in the Waitara catchment

Renewal: 6 June 2008
Expiry Date: 1 December 2027
Review Date: June 2015, June 2021

1275-3 5042
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342
Location: Katere Road, New Plymouth
Purpose: To discharge stormwater from the Katere and Waiwhakaiho industrial areas into the Mangaone Stream via multiple outfalls between Egmont Road and the confluence with the Waiwhakaiho River...also 1697032E-5677145N, 1696882E-5677087N, 1696734E-5676990N, 1696545E-5677175N, 1696755E-5677622N, 1696757E-5677671N, 1696771E-5677957N, and 1696777E-5677965N

Renewal: 10 June 2008
Expiry Date: 1 June 2026
Review Date: June 2010, June 2014, June 2020

**Non-notified consents (and certificates of compliance where applicable) issued by the
Taranaki Regional Council between 30 May 2008 and 10 July 2008**

1347-3 5147 Renewal: 17 June 2008
Hebdon Bridge Limited □ D K Bolton Expiry Date: 1 December 2027
34 Greenberry Drive Ranui AUCKLAND 0612 Review Date: June 2015, June 2021
Location: Kaiapoi Road, Midhirst
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Manganui River in the Waitara catchment

1349-3 5148 Renewal: 4 June 2008
PC & D Schimanski Expiry Date: 1 December 2027
656 Durham Road R D 8 INGLEWOOD Review Date: June 2015, June 2021
Location: Upper Durham Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into the Piakau Stream in the Waitara catchment

1351-3 5149 Renewal: 25 June 2008
Alpine Farms Limited □ B Hunger & NF & KM Smith Expiry Date: 1 December 2027
Dudley Road R D 6 INGLEWOOD 4386 Review Date: June 2015, June 2021
Location: 803 Dudley Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into the Ngatoro Stream, a tributary of the Manganui River in the Waitara catchment

1477-3 5159 Renewal: 25 June 2008
Gralyn Family Trust Partnership □ GD & VK Robinson Expiry Date: 1 December 2027
615 Upper Dudley Road R D 6 INGLEWOOD Review Date: June 2015, June 2021
Location: 615 Upper Dudley Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into the Ngatoro Stream, a tributary of the Manganui River in the Waitara catchment

1507-3 5161 Renewal: 17 June 2008
RN & SEJ Topping Expiry Date: 1 December 2027
838 Tariki Road R D 10 INGLEWOOD Review Date: June 2015, June 2021
Location: Tariki Road, Inglewood
Purpose: To discharge treated farm dairy effluent by oxidation pond treatment system into an unnamed tributary of the Makara Stream in the Waitara catchment

1582-3 5163 Renewal: 5 June 2008
SJ & ER Rowe Expiry Date: 1 December 2027
23 Liberty Grove PALMERSTON NORTH Review Date: June 2015, June 2021
Location: Everett Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain into the Manganui River in the Waitara catchment

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

1599-3 5165

Melpaca Trusts □ PA & CA Mellow
654 Norfolk Road R D 8 INGLEWOOD

Location: Norfolk Road, Inglewood

Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed wetland into an unnamed tributary of the Maketawa Stream a tributary of the Ngatoro Stream a tributary of the Manganui River in the Waitara catchment

Renewal: 25 June 2008

Expiry Date: 1 December 2027

Review Date: June 2015, June 2021

1613-3 5166

Udderfield Limited □ PK & KA Knowles
327 Croydon Road R D 24 STRATFORD

Location: Tariki Road, Tariki

Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed wetland into an unnamed tributary of the Manganui Stream in the Waitara catchment

Renewal: 20 June 2008

Expiry Date: 1 December 2027

Review Date: June 2015, June 2021

1684-3 5169

BJ & L Kowalewski
114 Rutland Road R D 24 STRATFORD

Location: Rutland Road, Midhirst

Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Waipuku Stream, a tributary of the Manganui River in the Waitara catchment

Renewal: 30 June 2008

Expiry Date: 1 December 2027

Review Date: June 2015, June 2021

1689-3 5170

Gracelands Farm □ Anthony J & Denise J Dravitzki
436 Kaimata Road South R D 10 INGLEWOOD

Location: Kaimata Road South, Inglewood

Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain into an unnamed tributary of the Manganui Stream in the Waitara catchment

Renewal: 17 June 2008

Expiry Date: 1 December 2027

Review Date: June 2015, June 2021

1698-3 5171

RK & DL Hitchcock
214 Norfolk Road R D 8 INGLEWOOD

Location: 214 Norfolk Road, Inglewood

Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Maketehinu Stream, a tributary of the Waitepuke Stream, a tributary of the Manganui River in the Waitara catchment

Renewal: 30 June 2008

Expiry Date: 1 December 2027

Review Date: June 2015, June 2021

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

1699-3 5172

TG & VM Rawlinson

193 Upper Norfolk Road R D 8 INGLEWOOD

Location: Norfolk Road, Inglewood

Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into the Maketehinu Stream, a tributary of the Waitepuke Stream, a tributary of the Manganui River in the Waitara catchment

Renewal: 26 June 2008

Expiry Date: 1 December 2027

Review Date: June 2015, June 2021

1740-2 6018

Maolla Trust □ PJ & CJ Lynskey

248 Oeo Road R D 28 MANAIA

Location: Surf Highway, Oeo

Purpose: To discharge partially treated farm dairy effluent by holding ponds and spray irrigation onto and into land

Changed: 5 June 2008

Expiry Date: 1 June 2012

Review Date: June 2000, June 2006

Change from oxidation ponds to holding ponds and spray irrigation

Increase discharge volume from: 13.60 m³/day
to: 25.84 m³ daily discharge averaged over a 30 day period

1760-2 6004

AR & MM Luckin

333 Leith Road R D 4 NEW PLYMOUTH

Location: 333 Leith Road, Okato

Purpose: To discharge untreated farm dairy effluent by holding pond and spray irrigation onto and into land

Changed: 4 June 2008

Expiry Date: 1 June 2013

Review Date: June 2001, June 2007

Change from oxidation ponds to holding pond and spray irrigation

Increase discharge volume from: 12.24 m³/day
to: 15.64 m³ daily discharge averaged over a 30 day period

2070-2 6031

Alpine Farms Limited □ B Hunger & NF & KM Smith

Dudley Road R D 6 INGLEWOOD 4386

Location: 121 Dudley Road, Inglewood

Purpose: To discharge untreated farm dairy effluent by spray irrigation onto and into land

Changed: 23 June 2008

Expiry Date: 1 June 2015

Review Date: June 2003, June 2009

Change from oxidation ponds to spray irrigation

Increase discharge volume from: 17.00 m³/day
to: 25.16 m³/day

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

2080-2 6013
Wainui Dairies Partnership □ Jason Bengston & S
Bollond
758 Parihaka Road R D 35 RAHOTU
Location: 758 Parihaka Road, Rahotu
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Waitotoora Stream

Changed: 4 June 2008
Expiry Date: 1 December 2019

Review Date: June 2007, June 2013

Increase discharge volume from: 10.20 m³/day
to: 13.60 m³/day

2283-2 6003
Ogle L & D Trust Partnership
332 Hunter Road R D 13 HAWERA
Location: Hunter Road, Hawera
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Waingongoro River

Changed: 4 June 2008
Expiry Date: 1 December 2023
Review Date: June 2011, June 2017

Increase discharge volume from: 8.84 m³/day
to: 17.00 m³/day

2336-3 5008
ABB Limited (TRANSFORMER DIVISION) □ Deane
Hogg
P O Box 7050 Fitzroy NEW PLYMOUTH 4341
Location: 60 Paraita Road, Bell Block, New Plymouth
Purpose: To discharge stormwater from a transformer manufacturing site into the Mangati Stream

Renewal: 19 June 2008
Expiry Date: 1 June 2026
Review Date: June 2014, June 2020

2337-3 5009
Halliburton New Zealand Limited (NEW
PLYMOUTH)
P O Box 7160 NEW PLYMOUTH 4341
Location: Paraita Road/Connett Road, Bell Block
Purpose: To discharge stormwater from an industrial site, used for an oil field service operation, into the Mangati Stream

Renewal: 23 June 2008
Expiry Date: 1 June 2026
Review Date: June 2014, June 2020

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

2409-2 6026

Tokaora Farms Limited
400 South Road R D 11 HAWERA

Location: Hastings Road, Hawera

Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Mangatoki Stream in the Waingongoro catchment

Changed: 9 July 2008

Expiry Date: 1 December 2023

Review Date: June 2011, June 2017

Increase discharge volume from: 8.16 m³/day
to: 17.68 m³/day

3668-2 4962

Todd Taranaki Limited
P O Box 802 Taranaki Mail Centre NEW PLYMOUTH
4340

Location: McKee-C wellsite, Otaraoa Road, Tikorangi

Purpose: To discharge treated stormwater, uncontaminated treated site water and uncontaminated treated production water from hydrocarbon exploration and production operations and electricity generation operations and associated activities at the McKee-C wellsite onto and into land and into an unnamed tributary of the Mangahewa Stream in the Onaero catchment

Changed: 24 June 2008

Expiry Date: 1 June 2033

Review Date: June 2009, June 2015,
June 2021, June 2027

Change to consent conditions to allow for electricity generation operations and associated activities to be carried out on the site

3730-2 6005

Kavanagh Trust Partnership □ B Kavanagh
121 Manawapou Road R D 12 HAWERA

Location: 251 Ahipaipa Road, Okaiawa

Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain and wetland into the Inaha Stream

Changed: 6 June 2008

Expiry Date: 1 December 2023

Review Date: June 2011, June 2017

Change from spray irrigation to oxidation ponds

Increase discharge volume from: 32.64 m³/day
to: 34.00 m³/day

3971-2 5050

Berridge Pet Food □ David Berridge
67 Hurford Road R D 4 NEW PLYMOUTH

Location: Hurford Road, Omata

Purpose: To discharge wastewater onto or into land and to discharge emissions to air from a petfood manufacturing plant

Renewal: 27 June 2008

Expiry Date: 1 June 2026

Review Date: June 2014, June 2020

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

4268-2 5180 Renewal: 17 June 2008
NW & MJ Dunn Expiry Date: 1 December 2027
467 Tarata Road R D 7 INGLEWOOD Review Date: June 2015, June 2021
Location: 467 Tarata Road, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Manganui River in the Waitara catchment

4304-2 5181 Renewal: 25 June 2008
Brydendale Partnership Expiry Date: 1 December 2027
1946 Mountain Road R D 8 INGLEWOOD Review Date: June 2015, June 2021
Location: Mountain Road, Inglewood
Purpose: To discharge untreated farm dairy effluent by honeywagon onto and into land and/or to discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Maketawa Stream, a tributary of the Ngatoro Stream, a tributary of the Manganui River in the Waitara catchment... 1705265E-5660871N

4329-2 5182 Renewal: 24 June 2008
W & M Seifert Expiry Date: 1 December 2027
348 Denbigh Road R D 24 STRATFORD 4394 Review Date: June 2015, June 2021
Location: Denbigh Road, Midhirst
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Manganui Stream in the Waitara catchment

4341-2 5183 Renewal: 30 June 2008
LC & KV Eggers Expiry Date: 1 December 2027
Junction Road R D 7 INGLEWOOD Review Date: June 2015, June 2021
Location: Junction Road, Tarata, Inglewood
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into the Taramoukou Stream in the Waitara catchment and/or to discharge partially treated farm dairy effluent by oxidation ponds and honeywagon onto and into land...also 1722075E-5668321N

4357-2 5184 Renewal: 25 June 2008
Te Awarua Farms Limited □JP & AM Schumacher Expiry Date: 1 December 2021
5 Kent Terrace MIDHIRST Review Date: June 2015, June 2021
Location: 5 Kent Terrace, Midhirst
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain into the Manganui River in the Waitara catchment

4361-2 5185 Renewal: 25 June 2008
JG Potroz Expiry Date: 1 December 2027
61 Bristol Road R D 8 INGLEWOOD Review Date: June 2015, June 2021
Location: Bristol Road, Inglewood
Purpose: To discharge untreated farm dairy effluent by spray irrigation onto and into land

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

4497-3 5071 Renewal: 25 June 2008
Olex New Zealand Limited (A Nexans Company) Expiry Date: 1 June 2026
Private Bag 2021 Bell Block NEW PLYMOUTH 4620 Review Date: June 2014, June 2020
Location: Paraitē Road, Bell Block
Purpose: To discharge stormwater and cooling water from an electric wire and cable manufacturing site into the Mangati Stream

5163-2 5105 Renewal: 10 June 2008
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive Expiry Date: 1 June 2026
Private Bag 2025 NEW PLYMOUTH 4342 Review Date: June 2010, June 2014, June 2020
Location: Rifle Range Road, New Plymouth
Purpose: To discharge stormwater from the Waiwhakaiho industrial area into the Waiwhakaiho River via multiple outfalls between the State Highway 3 bridge and the confluence with the Mangaone Stream...also 1695902E-5677235N, 1696113E-5677288N, 1696233E-5677323N, 1696377E-5677616N, 1696472E-5677706N, 1696539E-5677767N, 1696573E-5677800N, 1696611E-5677837N, and 1696683E-5677904N

7124-1 6023 Changed: 17 June 2008
B & K Roach Farms Expiry Date: 1 December 2024
296 Opua Road R D 31 OPUNAKE Review Date: June 2012, June 2018
Location: 296 Opua Road, Opunake
Purpose: To discharge untreated farm dairy effluent by oxidation ponds and spray irrigation onto and into land

Change from oxidation ponds to oxidation ponds and spray irrigation

7263-1 4925 Granted: 24 June 2008
Lepperton Farms Limited □ Graeme Lepper Expiry Date: 1 December 2026
485 Manutahi Road R D 3 NEW PLYMOUTH Review Date: June 2014, June 2020
Location: 180 Te Arei Road, Bell Block
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed wetland into the Mangaonaia Stream in the Waiongana catchment

7274-1 4938 Granted: 6 June 2008
Ponga & Pukeko Family Trust Expiry Date: 1 December 2028
58 Manawapou Road R D 2 MANUTAHU Review Date: June 2016, June 2022
Location: 58 Manawapou Road, Manutahi
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system and a wetland into the Manawapou River

**Non-notified consents (and certificates of compliance where applicable) issued by the
Taranaki Regional Council between 30 May 2008 and 10 July 2008**

7290-1 4963 Granted: 24 June 2008
Todd Taranaki Limited Expiry Date: 1 June 2027
P O Box 802 Taranaki Mail Centre NEW PLYMOUTH Review Date: June 2015, June 2021
4340
Location: McKee Production Station, Otaraoa Road, Tikorangi
Purpose: To discharge emissions into the air from natural gas combustion and other related activities associated with the operation of an electricity generation plant at the McKee Production Station

7306-1 4989 Granted: 12 June 2008
Twelve Gauge Limited Expiry Date: 1 June 2026
P O Box 684 WANAKA Review Date: June 2014, June 2020
Location: Egmont Road, New Plymouth
Purpose: To discharge contaminants [dust] to air from earthworks associated with the development of an industrial/commercial subdivision

7309-1 4992 Granted: 11 June 2008
Twelve Gauge Limited Expiry Date: 1 June 2026
P O Box 684 WANAKA Review Date: June 2014, June 2020
Location: Egmont Road, New Plymouth
Purpose: To discharge stormwater and sediment arising from earthworks associated with the development of a proposed industrial/commercial site onto and into land in the vicinity of the Mangaone Stream in the Waiwhakaiho catchment

7311-1 4994 Granted: 3 June 2008
Hawkswood Park Limited Expiry Date: 1 June 2026
P O Box 492 PALMERSTON NORTH Review Date: June 2014, June 2020
Location: Huatoki Street, New Plymouth
Purpose: To discharge stormwater and sediment onto and into land and into an unnamed tributary of the Huatoki Stream from earthworks associated with the development of a residential subdivision

7312-1 4995 Granted: 3 June 2008
Hawkswood Park Limited Expiry Date: 1 June 2026
P O Box 492 PALMERSTON NORTH Review Date: June 2014, June 2020
Location: Huatoki Street, New Plymouth
Purpose: To discharge contaminants [dust] to air from earthworks associated with the development of a residential subdivision

7325-1 6017 Granted: 25 June 2008
Jimco Family Trust □ & C McKay Expiry Date: 1 December 2026
460 Hurford Road R D 4 NEW PLYMOUTH Review Date: June 2014, June 2020
Location: 460 Hurford Road, New Plymouth
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Paopaohaonui Stream in the Tapuae catchment

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

7327-1 6020
Fabish Bros Farms Limited □ PW Fabish
217 Bedford Road R D 8 INGLEWOOD
Location: 400 Surrey Road, Tariki
Purpose: To discharge treated farm dairy effluent from an oxidation pond treatment system into the Mangatengehu Stream, a tributary of the Mangamawhete Stream in the Waitara catchment

Granted: 17 June 2008
Expiry Date: 1 December 2027
Review Date: June 2015, June 2021

7328-1 6021
Bowick Sodablast Taranaki Limited □ Tony Bowick
18 Parris Street Moturoa NEW PLYMOUTH
Location: Various locations throughout the Taranaki region
Purpose: To discharge emissions to air from mobile abrasive soda blasting operations at various locations within the Taranaki region

Granted: 2 July 2008
Expiry Date: 1 June 2020
Review Date: June 2014

7329-1 6022
Taranaki By-Products Limited
P O Box 172 HAWERA
Location: 533 Ahipaipa Road, Okaiawa
Purpose: To discharge stormwater and sediment from earthworks associated with the re-contouring of land and the re-aligning of a section of the Inaha Stream onto and into land and into the Inaha Stream

Granted: 30 June 2008
Expiry Date: 1 June 2023
Review Date: June 2011, June 2017

7333-1 6029
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342
Location: Shearer Reserve, Oakura
Purpose: To discharge water containing contaminants [sediment] to the Wairau Stream from excavation associated with construction of the Oakura sewage pump station

Granted: 25 June 2008
Expiry Date: 1 June 2010
Review Date: June 2009

7310-1 4993
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342
Location: Carrington Road, New Plymouth
Purpose: To reconstruct, place and maintain a bridge on Carrington Road over the Katikara Stream

Granted: 16 June 2008
Expiry Date: 1 June 2025
Review Date: June 2013, June 2019

7315-1 4999
Whitaker Civil Engineering Limited □ Manager
Barrett Road R D 4 NEW PLYMOUTH
Location: Shearer Reserve, Oakura
Purpose: To erect, place, maintain and use a temporary crossing in the Wairau Stream for access purposes

Granted: 6 June 2008
Expiry Date: 1 June 2009
Review Date:

Non-notified consents (and certificates of compliance where applicable) issued by the Taranaki Regional Council between 30 May 2008 and 10 July 2008

7316-1 6000
Oceanview Trust / Nigel Chapman □ Phil Hardegger
Stent Road R D 37 OKATO
Location: 218A Stent Road, Okato
Purpose: To pipe a section of an unnamed tributary of the Waiweranui Stream for land improvement purpose

Granted: 6 June 2008
Expiry Date: 1 June 2025
Review Date: June 2013, June 2019

7321-1 6009
Hawkwood Park Limited
P O Box 492 PALMERSTON NORTH
Location: Huatoki Street, New Plymouth
Purpose: To erect, place and maintain a dam in an unnamed tributary of the Huatoki Stream

Granted: 12 June 2008
Expiry Date: 1 June 2026
Review Date: June 2014, June 2020

7326-1 6019
DJ & REG Goodwin
608 Mid Puniho Road R D 37 OKATO
Location: Goodwin Road, Okato
Purpose: To remove an old bridge, install rock protection structure and realign the Matanehunehu Stream for land improvement purposes

Granted: 16 June 2008
Expiry Date: 1 June 2025
Review Date: June 2013, June 2019

7330-1 6025
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342
Location: Ebrington Place [adjacent to croquet club greens], New Plymouth
Purpose: To install gabion basket and Reno basket mattress erosion protection to the left bank of the Te Henui Stream

Granted: 19 June 2008
Expiry Date: 1 June 2026
Review Date: June 2014, June 2020

7340-1 6036
Hoopman Family Trust
647 Kina Road R D 31 OPUNAKE 4681
Location: 1571 Oeo Road, Opunake
Purpose: To erect, place and maintain an erosion protection structure on the left bank and realign to the right over that section of the Punehu Stream for access purposes

Granted: 30 June 2008
Expiry Date: 1 June 2024
Review Date: June 2012, June 2018

7334-1 6030
New Plymouth District Council (NEW PLYMOUTH) □ Chief Executive
Private Bag 2025 NEW PLYMOUTH 4342
Location: Shearer Reserve, Oakura
Purpose: To take groundwater for the purpose of dewatering the construction site for the installation of the Oakura sewage pump station

Granted: 25 June 2008
Expiry Date: 1 June 2010
Review Date: June 2009

Exercise of consent processing delegations under the Resource Management Act 1991 between 30 May 2008 and 10 July 2008

Section 37A(2)(a) consent processing time extensions

2336-3 ABB Limited

To discharge stormwater from a transformer manufacturing site into the Mangati Stream

2337-3 Halliburton New Zealand Limited

To discharge stormwater from an industrial site, used for an oil field service operation, into the Mangati Stream

5419-2 Energyworks Limited

To discharge emissions into the air associated with abrasive blasting operations and associated activities at a permanent site at Brown Street, Inglewood and from mobile operations throughout the Taranaki region

5623-1 WD & SC Morrison

To take water from the Whenuakura River for pasture irrigation purposes

7317-1 Todd Taranaki Limited

To discharge emissions to air from flaring of hydrocarbons and miscellaneous emissions associated with drill stem testing, well clean-up, initial well testing and production testing associated with exploration activities for up to eight wells at the Mangahewa-A wellsite

Section 37(1) consent processing time extensions

None

Section 37A(2)(b) pre-hearing meeting and other time extensions

0650-3 RN & AP Dobson

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Mangapotoa Stream, a tributary of the Manganui River in the Waitara catchment

1076-3 MJ & RA Oliver

To discharge partially treated farm dairy effluent by holding pond and spray irrigation onto and into land

1347-3 Hebdon Bridge Limited

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Manganui River in the Waitara catchment

1351-3 Alpine Farms Limited

To discharge treated farm dairy effluent from an oxidation pond treatment system into the Ngatoro Stream, a tributary of the Manganui River in the Waitara catchment

1437-3 DH Luond

To discharge treated farm dairy effluent from an oxidation pond treatment system into the Motukara Stream in the Waiau catchment

Exercise of consent processing delegations under the Resource Management Act 1991 between 30 May 2008 and 10 July 2008

1448-3 Maxwell Brian & Beverley Trust

To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain into the Waiau Stream

1452-3 Bishop Barry Family Trust

To discharge partially treated farm dairy effluent by holding pond and spray irrigation onto and into land

1507-3 RN & SEJ Topping

To discharge treated farm dairy effluent by oxidation pond treatment system into an unnamed tributary of the Makara Stream in the Waitara catchment

1575-3 JM Hill

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Kurapete Stream in the Waitara catchment

1593-3 DW & CS Jury

To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain into an unnamed tributary of the Waihi Stream

1599-3 Melpaca Trusts

To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed wetland into an unnamed tributary of the Maketawa Stream a tributary of the Ngatoro Stream a tributary of the Manganui River in the Waitara catchment

1630-3 Taratara Farm Limited

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Manganui Stream in the Waitara catchment

1684-3 BJ & L Kowalewski

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Waipuku Stream, a tributary of the Manganui River in the Waitara catchment

1689-3 Gracelands Farm

To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain into an unnamed tributary of the Manganui Stream in the Waitara catchment

1698-3 RK & DL Hitchcock

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Maketehinu Stream, a tributary of the Waitepuke Stream, a tributary of the Manganui River in the Waitara catchment

1699-3 TG & VM Rawlinson

To discharge treated farm dairy effluent from an oxidation pond treatment system into the Maketehinu Stream, a tributary of the Waitepuke Stream, a tributary of the Manganui River in the Waitara catchment

Exercise of consent processing delegations under the Resource Management Act 1991 between 30 May 2008 and 10 July 2008

1746-3 GH & MJ Wellington

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Manganui Stream in Waitara catchment

1768-3 M Campbell

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Manganui Stream in the Waitara catchment

3851-2 Suffolk Farm

To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain into an unnamed tributary of the Maketawa Stream a tributary of the Manganui River in the Waitara catchment...change to conditions change to spray irrigation

4091-2 Hermann Family Trust

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Waititi Stream

4304-2 Brydendale Partnership

To discharge untreated farm dairy effluent by honeywagon onto and into land and/or to discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Maketawa Stream, a tributary of the Ngatoro Stream, a tributary of the Manganui River in the Waitara catchment... 1705265E-5660871N

4341-2 LC & KV Eggers

To discharge treated farm dairy effluent from an oxidation pond treatment system into the Taramoukou Stream in the Waitara catchment and/or to discharge partially treated farm dairy effluent by oxidation ponds and honeywagon onto and into land...also 1722075E-5668321N

4357-2 Te Awarua Farms Limited

To discharge treated farm dairy effluent from an oxidation pond treatment system and a constructed drain into the Manganui River in the Waitara catchment

4448-2 GR Corkill

To discharge treated farm dairy effluent from an oxidation pond treatment system into an unnamed tributary of the Taramoukou Stream in the Waitara catchment

4920-3 Todd Taranaki Limited

To discharge emissions into the air from the flaring of hydrocarbons and miscellaneous emissions associated with production at the Mangahewa-A wellsite

Section 91 for further application time extensions

7343-1 Waste Management - A division of Transpacific Industries Group NZ Limited

To discharge greenwaste onto land for the purpose of composting and to discharge leachate and contaminated stormwater from the composting process onto and into land

Exercise of consent processing delegations under the Resource Management Act 1991 between 30 May 2008 and 10 July 2008

Section 92 further information

3491-2 Taranaki Sawmills Limited

To discharge cooling water and wastewater from a timber drying plant and stormwater from a timber treatment site into the Mangaone Stream in the Waiwhakaiho catchment

6938-1 Greymouth Petroleum Limited

To erect, place and maintain a culvert in the Waiiau Stream for access purposes...change to conditions, to install an overflow culvert parallel to the existing culvert for flood control

7317-1 Todd Taranaki Limited

To discharge emissions to air from flaring of hydrocarbons and miscellaneous emissions associated with drill stem testing, well clean-up, initial well testing and production testing associated with exploration activities for up to eight wells at the Mangahewa-A wellsite

7332-1 New Plymouth District Council

To erect, place and maintain a culvert in an unnamed tributary of the Mangatawa Stream for flood control purposes

7338-1 PJ & EG Kennedy

To discharge wood waste from a sawmilling operations into and into land

7344-1 B McNeil

To realign the Mangaone Stream for land improvement purposes

Section 94 awaiting affected party approvals

7214-1 MiLife New Plymouth Limited

To discharge stormwater and sediment from earthworks for the development of a retirement village onto and into land and into the Mangati Stream

7320-1 Patea & District Boating Club

To erect, place and maintain a floating pontoon jetty for access purposes

7324-1 W & C Bolton

To erect, place and maintain an existing jetty in the Onaero River

7331-1 K Seed

To erect, place and maintain an existing jetty in the Onaero River

7344-1 B McNeil

To realign the Mangaone Stream for land improvement purposes

Declined

None

**Exercise of consent processing delegations under the Resource
Management Act 1991 between 30 May 2008 and 10 July 2008**

Renewal applications within 3-6 months of expiry (section 124)

None

Surrendered consents

0658-2 GP & HR Dodunski

To discharge up to 10.88 cubic metres/day of treated dairymshed effluent via oxidation ponds into an unnamed tributary of the Piakau Stream in the Waitara Catchment

Cancelled consents

None

Lapsed consents

None

Applications currently under appeal

None

[Back to index](#)

22 July 2008

**Memorandum to
Chairperson and Members
Consents and Regulatory Committee**

Resource consents from other consent authorities

Purpose

1. This memorandum advises the Committee of notified and limited-notified resource consent applications forwarded to the Taranaki Regional Council from District Councils.

Background

2. The following notified and limited-notified resource consent applications were received by District Councils and have been forwarded to the Taranaki Regional Council in accordance with section 90 of the Resource Management Act 1991.
3. Although this section of the Act was repealed as from 1 August 2003, Committee Members are being kept informed of all applications that continue to be forwarded from District Councils to this Council.

Recommendation

THAT the Taranaki Regional Council:

1. receives the schedule of notified and limited-notified applications for resource consents forwarded from other consent authorities.

Approved:

A D McLay
Director—Resource Management

B G Chamberlain
Chief Executive

Pursuant to section 90 of the Resource Management Act 1991, the following notified applications for resource consents have been forwarded to the Taranaki Regional Council by District Councils for comment. Submissions where made are attached.

DCC-0803

Name Graham Symons
Site location 298 Surrey Hill Road, Oakura
Purpose To subdivide the land by cancellation of an existing amalgamation condition resulting in the creation of two sites [Discretionary Activity].

NPDC

Submission nil

DCC-0804

Name Powerco Limited
Site location 7-9 West Quay, Waitara legally described as Lot 2 DP 19039
Purpose To designate the site for electricity substation purposes

NPDC

Submission nil

DCC-0805

Name Powerco Limited
Site location 24 Tarahua Road, New Plymouth legally described as Part Lot 2 DP 5788 and Lot 1 DP 5788
Purpose To designate the site for electricity substation purposes

NPDC

Submission nil

DCC-0806

Name Powerco Limited
Site location 89 Breakwater Rd & 23 Pioneer Rd, New Plymouth legally described as Sections 961 and 965 Grey District
Purpose To designate the site for electricity substation purposes

NPDC

Submission nil

Pursuant to section 90 of the Resource Management Act 1991, the following notified applications for resource consents have been forwarded to the Taranaki Regional Council by District Councils for comment. Submissions where made are attached.

DCC-0807

Name Origin Energy Resources [Kupe] Limited
Site location Omata Tank Farm, 283 Centennial Drive, New Plymouth legally described as Lot 2 DP 20912
Purpose To establish a condensate storage facility including:

- Erection of two 25m round tanks to store condensate from the Kupe Gas Project
- Erection of 3m high access platforms on the top of each tank
- Erection of a road tanker unloading building

NPDC

Submission nil

DCC-0808

Name J & B Wrathall
Site location 184 Ahu Ahu Road, Oakura legally described as Lot 2 DP 324179 & Lot 1 Dp 16777
Purpose To subdivide the land into three lots [discretionary activity]

NPDC

Submission nil

ITEM FOUR

22 July 2008

[Back to index](#)

**Memorandum to
Chairperson and Members
Consents and Regulatory Committee**

Maari Project Update and Presentation

Purpose

1. To introduce Wolfgang Leeb (Maari Asset Manager) and Nicholas Cavaye (Environmental adviser) from OMV New Zealand Limited, who will provide an update and power point presentation on the off shore Maari oil field development. The project is estimated to cost about \$0.5 billion so is smaller than the Pohokura oil/gas field development that has ended and the Kupe oil/gas field development that is mid-term, and about the same size as the completed Tui oil field development.

Background

2. The Maari Field is about 80 kms west of Hawera and beyond the Council's 12 nm Resource Management Act boundary. However, such projects are of interest to this Council from an environmental (oil spill response), economic, and general perspective given its regulatory role for on-shore and near-shore hydrocarbon exploration and production activities.
3. The project comprises an unmanned well head platform and wells connected to a Floating, Production, Storage, Operation (FPSO) vessel permanently moored off shore. The pipelines and umbilical connecting the two will be about 2000m long and supported by a mid-water arch bouy that is anchored to the seabed. The Tui Field has a FPSO and the Maui Field had one until 2006.
4. In October 2007 the Council submitted on the OMV application under the Submarine Cables and Pipeline Protection Act (1996) for an exclusion zone around the development for safety and environmental reasons. The Ministry of Transport is about to make a decision on the application.

Presentation

5. The presentation will provide Members with some background to the project, the development undertaken so far, and the environmental protection measures being employed by OMV as operator for the field for the joint venture partners.

Recommendation

THAT the Taranaki Regional Council:

1. receives this memorandum.

AD McLay
Director- Resource Management

Approved:

B G Chamberlain
Chief Executive

Document: 483643
File: 2299-3 [3554], 6558-1 [3555] & 7078-1 [4558]

22 July 2008

ITEM FIVE

[Back to index](#)

Memorandum to Chairperson and Members Consents and Regulatory Committee

Hearing Committee's report and decision on three resource consent applications by Normanby Power Limited

Purpose

1. The purpose of this memorandum is to recommend that the Taranaki Regional Council receives the report and decision of the Hearing Committee which heard three applications [listed below] by Normanby Power Limited to recommission the Normanby Hydro Scheme. The applications relate to the damming of water, taking and use water, and use of a weir and ancillary structures in the Waingongoro River for hydroelectric generation purposes. The Hearing Committee comprised Councillors D Lean and M Irving and their decision is attached for Members' information.

Background

2. Normanby Power Limited ['NPL'] proposes to re-commission the Normanby Power hydroelectric scheme on the Waingongoro River, located on Normanby Road, Okaiawa, using a combination of existing infrastructure and modern equipment.
3. The original Normanby hydroelectric power scheme was commissioned on the Waingongoro River in 1902, and operated until 1967 when it was abandoned after several major flood events. The scheme is located approximately 2.5-3 km east of Okaiawa, and about 3-3.5 km northwest of Normanby. The site is accessed via Normanby Road approximately 1.3 km from the intersection of Normanby Road and Mawhitiwhiti Road. The Waingongoro River in this area typically runs from the north to the south, but is subject to significant meandering. Hence, the river runs west along the north side of Normanby Road before doubling back on itself and continuing eastward on the south side of Normanby Road.

4. The proposed scheme would operate under the same 18 m head difference and similar configuration as the original scheme, utilising the following existing components:
 - The original weir and sluice gate, and upgraded fish pass;
 - The intake structure [upgraded];
 - The tunnel [relined] under the road;
 - The levelled platform adjacent the lower reach of river on which currently sits the remains of the old powerhouse; and
 - The access track [originally from a rail] from Normanby Road down to the levelled platform.
5. Most of these existing components will require rehabilitation or modification.
6. The application was processed on a publicly notified basis in accordance with section 93 of the Act because the effects of the activity were considered to be more than minor, and there was significant public interest in the proposal. The applications were publicly notified on 18 August 2007 and the submission period closed on 14 September 2007.
7. Twelve submissions were received by the Taranaki Regional Council: eleven submissions in opposition to be heard, and one in opposition that did not wish to be heard.
8. The hearing was held on 9th June 2008 and the Hearing Committee's report and decision released to all parties on 11th July 2008. The Council is now awaiting the closure of the appeal period and will update the Committee at the September 3 meeting of any appeals received.

Decision-making obligations

9. Part 6 (Planning, decision-making and accountability) of the Local Government Act 2002 has been considered and documented in the preparation of this agenda item. The recommendation(s) made in this item comply with the decision-making obligations of the Act.

Policy considerations

10. This memorandum and the associated recommendations are consistent with the policy documents and positions adopted by this Council under various legislative frameworks including, but not restricted to, the Local Government Act 2002, the Resource Management Act 1991 and the Biosecurity Act 1993.

Financial considerations

11. This memorandum and the associated recommendations are consistent with the Council's adopted Long-Term Council Community Plan and estimates. Any financial information included in this memorandum has been prepared in accordance with generally accepted accounting practice.

Legal considerations

12. This memorandum and the associated recommendations comply with the appropriate statutory requirements imposed upon the Council.

Recommendations

THAT the Taranaki Regional Council:

1. receives the report and decision of the Hearing Committee that heard three applications by Normanby Power Limited to recommission the Normanby Hydro Scheme in terms of the Resource Management Act 1991; and
2. notes that the Hearing Committee has, under delegated authority from this Council, granted the resource consents sought.

A D McLay
Director—Resource Management

Approved:

B G Chamberlain
Chief Executive

ITEM SIX

22 July 2008

[Back to index](#)

**Memorandum to
Chairperson and Members
Consents and Regulatory Committee**

Consent monitoring annual reports

Purpose

1. Set out below is a report with respect to 8 tailored monitoring programme annual reports for the 2006-2007, 2005-2007 and 2007 monitoring periods. Recommendations pertaining to each site are set out in the report. The attention of Committee members is drawn to the Executive Summary at the front of each report.

Background

2. There are 8 reports available for presentation to Council.

Discussion

3. Three reports relate to 2006-2007, one report to 2005-2007 and four reports to 2007.
4. Each report has been submitted to the consent holder for comment prior to publication. The reports have been prepared by staff of the Technical Services and Consents sections.
5. The reports all indicate a high (7) or good (1) level of environmental performance.
6. All programmes associated with the Waitara Marine Outfall demonstrated a good or high level of environmental performance.
7. Industries monitored within the Hongihongi and Herekawe catchments demonstrated a high level of environmental performance and compliance.
8. New Plymouth District Council demonstrated a high level of performance in relation to its water supplies and structures.
9. Egmont Stone Ltd demonstrated a high level of environmental performance and compliance.
10. Swift Energy NZ Ltd demonstrated a high level of environmental performance in relation to both the Rimu and Waihapa Production Stations.

Methanex Motunui and Waitara Valley Combined Monitoring Programme Annual Report January – December 2007

11. Methanex Motunui (NZ) Ltd operated methanol production facilities located at Motunui and Waitara Valley, close to Waitara, in the Waitara River catchment. The Motunui production facility ceased operation at the end of November 2004. The Company holds resource consents for both plants to allow it to abstract surface water and groundwater, to discharge water to the environment, to discharge emissions into the air and to discharge sludge waste to land. This report for the period January – December 2007 describes the status of the ongoing monitoring programmes implemented by the Taranaki Regional Council to assess the Company's environmental performance during the period under review, and the environmental effects of the Company's activities.
12. Methanex Motunui (NZ) Ltd held a total of eleven resource consents relating to the operation of the Motunui plant, which included a total of 123 conditions setting out the requirements that the Company must satisfy in order to minimise risk of damage to the environment or overuse of resources. The Company held two consents to allow it to take and use water, one consent to discharge plant effluent into the Tasman Sea, two consents to discharge wastewater and stormwater into a Waitara River tributary, one consent to discharge stormwater into the Waihi and other streams, four consents to discharge emissions into the air, and one to discharge sludge onto land. As was the case in 2006, the Motunui plant produced no methanol in 2007, meaning environmental risks were minimised and the monitoring programme was scaled back accordingly to reduce costs to the consent holder and officer time.
13. Methanex Motunui (NZ) Ltd held a total of six resource consents for the operation of the Waitara Valley methanol plant, which included a total of 67 conditions setting out requirements that the Company must satisfy. The Company held one consent to allow it to take and use water, one consent to divert tributaries of the Waitara River, one consent for a groyne in the Waitara River, one consent to discharge plant effluent into the Tasman Sea, one consent to discharge stormwater into the Waitara River, and one consent to discharge emissions into the air.
14. The Council's monitoring programme included two site inspections of Waitara Valley and one at the Motunui site, these site inspections also included a HSNO component. Methanex provided the Council with monthly monitoring data associated with the Motunui and Waitara Valley surface water abstractions, effluent and stormwater discharges each month. Inter-laboratory comparisons were made of split stormwater and plant effluent samples to test the reliability of the data provided by Methanex. The results of the portions of the samples tested by the onsite Methanex laboratory and the Taranaki Regional Council laboratory showed good agreement in all cases.
15. Officers of the Taranaki Regional Council noted that, as in previous years, the facilities are well managed, and in general a high standard of housekeeping was maintained at both sites and consent conditions were met. Open lines of communication are maintained between Methanex staff and Taranaki Regional Council officers with ongoing discussion of best practice techniques and potential risks related to the implementation of new processes or procedures.

16. Overall Methanex has demonstrated a high level of environmental performance in relation to the Waitara Valley and Motunui plants. This report includes recommendations for the 2008 year.

Waitara Marine Outfall Bacteriological Monitoring Programme Annual Report 2007

17. The Waitara Outfall Management Board manages the Waitara marine outfall, which discharges approximately 1250 metres offshore from the mouth of the Waitara River into the Tasman Sea. The outfall provides for the disposal of wastewater from the Waitara municipal domestic sewage reticulation system, Anzco Foods Waitara Ltd, and the Methanex Waitara Valley and Methanex Motunui methanol plants. This report for the period November 2007 to April 2008 describes the bacteriological monitoring programme and any effects of the Waitara outfall on local water quality.
18. The Waitara Outfall Management Board holds a total of 5 resource consents, which include a total of 65 conditions setting out the requirements that the management board must satisfy. Four consents allow for the discharge of effluent into the Tasman Sea. One consent deals with the structure which conveys the effluent. During the period under review, Methanex Motunui did not exercise their consent.
19. The Council's monitoring programme for the year under review involved 13 sampling occasions at five sites during the summer period November 2007 to April 2008. Four sites within the Waitara embayment and one site within the Waitara River were sampled and analysed for temperature, conductivity, faecal coliform, *E. coli*, and enterococci bacteria.
20. It is anticipated that any adverse effects of the Waitara marine outfall discharge on the bacteriological water quality within the Waitara embayment would be indicated by high bacterial counts at the four monitoring sites. During the 2007-2008 summer period, there were occasional high bacterial counts obtained during the thirteen sampling occasions, however 98% of bacteriological results (i.e. all but one sample) were below the recreational water quality guidelines issued by MfE.
21. From the bacteriological monitoring results for the summer 2007-2008 period it was concluded that the discharge through the Waitara marine outfall did not result in any adverse effects on water quality within the Waitara embayment.
22. During the year, the Waitara Outfall Management Board demonstrated a high level of environmental performance and compliance with the resource consents.
23. This report includes recommendations for the 2008 year.

Waitara Marine Outfall Ecological Monitoring Programme Annual Report 2007

24. The Waitara Outfall Management Board manages the Waitara marine outfall, which discharges approximately 1250 metres offshore from the mouth of the Waitara River into the Tasman Sea. The outfall provides for the disposal of wastewater from the

Waitara municipal domestic sewage reticulation system, Anzco Foods Waitara Ltd, and the Methanex Waitara Valley and Methanex Motunui methanol plants. This report for the period January to December 2007 describes the monitoring programme and any effects of the Waitara outfall on local intertidal biological communities.

25. The Waitara marine outfall ecological programme has been operating in its present form for over sixteen years. Five survey sites are included in the programme consisting of three potential impact sites and two control sites. These five sites were surveyed during September and October 2007.
26. The Waitara Outfall Management Board holds a total of five resource consents, which include a total of 65 conditions setting out the requirements that the management board must satisfy. Four consents allow for the discharge of effluent into the Tasman Sea. One consent deals with the structure which conveys the effluent. During the period under review, Methanex Motunui did not exercise their consent.
27. The Council's monitoring programme for the year under review included one marine survey at each of the five monitoring sites. Waitara outfall reports are based on a calendar year (as opposed to July-June), with annual reports also produced covering shoreline bacteriological water quality and the waste water treatment plant itself.
28. During this 2007 survey, the control site at Greenwood Road showed the highest species richness, followed by the potential impact site Orapa A, and control site Turangi Reef. Species richness was lowest at the potential impact sites Orapa B and Airedale Reef. Species richness increased at Greenwood Road, Airedale Reef and Orapa A when compared with the previous survey, while Turangi Reef remained similar and Orapa B decreased slightly due to high sand levels at the site.
29. Diversity was highest at the Greenwood Road site followed by Orapa A and Airedale Reef. Orapa B and Turangi Reefs had the lowest diversity. Species diversity increased at Greenwood Road and Airedale Reef when compared with the previous survey, while species diversity decreased slightly at the other three sites.
30. As both species richness and diversity were similar at control sites and potential impact sites, and neither parameter declined significantly at any site, it is concluded that the Waitara marine outfall discharge was not having any adverse effect on the intertidal reef communities in the Waitara embayment.
31. During the year, the Waitara Outfall Management Board demonstrated a high level of environmental performance and compliance with the resource consents.
32. This report includes recommendations for the 2008 year.

Waitara Waste Water Treatment Plant Monitoring Programme Annual Report 2007

33. The Waitara Outfall Management Board (WOMB) manages the Waitara marine outfall, which discharges approximately 1250 metres offshore from the mouth of the Waitara River into the Tasman Sea. The outfall provides for the disposal of wastewater from the

Waitara municipal domestic sewage reticulation system, Anzco Foods Waitara Ltd, and Methanex Waitara Valley and Methanex Motunui methanol plants. New Plymouth District Council (NPDC) operates the Waitara waste water treatment plant (WWWTP) to provide for the township of Waitara. This report for the period January to December 2007 describes effluent processed in relation to the Waitara wastewater treatment plant.

34. The Waitara Outfall Management Board holds a total of five resource consents, which include a total of 65 conditions setting out the requirements that the management board must satisfy. Four consents allow for the discharge of effluent into the Tasman Sea. One consent deals with the structure which conveys the effluent. During the period under review, Methanex Motunui did not exercise their consent.
35. The Taranaki Regional Council (Council) monitoring programme for the year under review included two site inspections, assessment of data, and two inter-laboratory comparisons between NPDC and the Council. Waitara outfall reports are based on a calendar year, with annual reports also produced for shoreline bacteriological water quality and marine ecology.
36. Inspections of the WWWWTP, sewerage pump stations, and Waitara foreshore found all areas to be of a satisfactory standard.
37. Two inter-laboratory comparisons were undertaken during the year, and generally there was good agreement achieved between the two laboratories for the parameters tested.
38. Records of daily discharge volumes through the WWWWTP revealed the consent limit was breached on 13 occasions. These breaches were due to high rainfall and infiltration of stormwater into the sewer system.
39. The upper limit for pH was breached 5 times during the year (as measured by weekly grab samples).
40. Faecal coliform levels breached the consent conditions on three occasions, while levels of all other parameters were within compliance during the 2007 monitoring year.
41. During the year, WOMB demonstrated a good level of environmental performance and compliance with the resource consents.
42. During the year under review there was one unauthorised incident reported to Council relating to odour at a pumpstation. However, investigation by Council staff did not find any detectable odours and no further action was required.
43. This report includes recommendations for the 2008 year.

Hongihongi and Herekawe Joint Monitoring Programme Annual Report 2006-2007

44. This report for the period July 2006-June 2007 describes the monitoring programme implemented by the Taranaki Regional Council to assess environmental performance of

the consent holders in the Hongihongi and Herekawe catchments during the period under review.

45. The Hongihongi Stream discharges at the western end of Ngamotu Beach, New Plymouth. Twelve resource consents, which include a total of 69 conditions, are held by eight companies situated on Centennial Drive, Ngamotu Road and Breakwater Road. There is one consent to take and use water, and eight consents to discharge effluent or stormwater into the Hongihongi Stream. One consent to discharge stormwater into the Tasman Sea at the port, one consent to discharge cooling water and groundwater seepage onto Ngamotu Beach, and one consent to discharge treated stormwater and operational water into the Port Taranaki stormwater system are also included in the Hongihongi catchment monitoring programme due to the nature of the activities and their proximity to the Hongihongi Stream.
46. The Herekawe Stream discharges to the middle of Back Beach, New Plymouth. This stream receives consented discharges from the Omata Tank Farm, including stormwater discharges from Shell Todd Oil Services, and Methanex Motunui Ltd. Four resource consents, which include a total of 28 conditions are held by the two companies. There is one consent to place and maintain a pipeline and three consents to discharge process water or stormwater into the Herekawe Stream. In the 2001-2002 monitoring period, two consents to discharge from the Omata tank farm held by Methanex Motunui were surrendered and replaced with certificates of compliance. A stormwater discharge to the Herekawe Stream from Dow AgroSciences is monitored and reported separately.
47. The Council's monitoring programme of the Hongihongi catchment included six inspections and discharge sampling on two occasions for each site. The Hongihongi itself was sampled on two occasions.
48. The monitoring of the Herekawe catchment consisted of three inspections and up to two discharge samples for each site. The Herekawe Stream itself was sampled on two occasions and biomonitoring surveys were conducted.
49. Generally site inspections and discharge monitoring revealed no areas of concern and sites were found to be well maintained and bunded areas were generally secure.
50. There were no unauthorised incidents in relation to the companies monitored under this programme in the monitoring year under review.
51. During the year, the industries monitored within the Hongihongi and Herekawe catchments demonstrated a high level of environmental performance and compliance with their resource consents.
52. This report includes recommendations for the 2007-2008 year.

New Plymouth District Council Water Supplies and Structures Monitoring Programme Annual Report 2006-2007

53. New Plymouth District Council operates 5 water supply schemes in the New Plymouth District. This report for the period July 2006-June 2007 describes the monitoring programme implemented by the Taranaki Regional Council to assess the consent

holder's environmental performance during the period under review, and the results and environmental effects of the consent holder's activities.

54. New Plymouth District Council holds a total of 20 resource consents, which include a total of 121 conditions setting out the requirements that the consent holder must satisfy. The consent holder holds 8 consents to allow it to take and use water, 3 consents to discharge effluent onto land or into water, and 9 consents to construct and maintain structures.
55. The Council's monitoring programme for the year under review included an annual inspection of each water supply scheme, an assessment of abstraction data provided by NPDC, 2 water samples collected for physicochemical analysis, and one fish survey.
56. The monitoring showed that overall the NPDC water schemes were seen to be well operated and maintained and were not found to be having any significant adverse effects on the environment.
57. The abstraction data that was provided by NPDC was of a good standard and sufficient to assess compliance with the various consented abstraction rates. The data showed that there were no breaches of the allowed abstraction rates for the five schemes.
58. During the year, the consent holder demonstrated a high level of environmental performance and compliance with the resource consents and there were essentially no adverse environmental effects to be concerned about.
59. This report includes recommendations for the 2007-2008 year, including a recommendation relating to an optional review of consents consent 5699, 5700, 6643, 0126, 4817, 4816, 1278, 6114 and 5713.

Egmont Stone Limited Quarry Monitoring Programme Biennial Report 2005-2007

60. Egmont Stone Ltd operates a stone-washing business located at Waitoetoe Road, Urenui, in the Waitoetoe catchment. This report for the period July 2005-June 2007 describes the monitoring programme implemented by the Taranaki Regional Council to assess the Company's environmental performance during the period under review, and the results and environmental effects of the Company's activities.
61. The Company holds one resource consent, which includes a total of five conditions setting out the requirements that the Company must satisfy. The consent allows the Company to discharge washwater into the Waitoetoe stream.
62. The Council's monitoring programme for the year under review included two inspections.
63. The monitoring showed that the Company's quarry operation and washwater discharge is causing no adverse environmental effects on the Waitoetoe stream.
64. During the period under review, the Company demonstrated a high level of environmental performance and compliance with the resource consents.

65. This report includes recommendations for the 2007-2008 monitoring year.

Swift Energy NZ Limited Waihapa & Rimu Production Stations Monitoring Programme Annual Report 2006-2007

66. Swift Energy NZ Limited (Swift) operates the Rimu and Waihapa hydrocarbon production stations, located at Mokoia and Stratford, in the Manawapou River and Patea River catchments, respectively. The Rimu Production Station processes oil and gas recovered from the Rimu and Kauri wells and encompasses a condensate plant, gas plant and LPG plant. The Waihapa Production Station processes oil and gas from wells in the surrounding Waihapa, Tariki, Ahuroa and Ngaere fields by separating the oil, gas and water components of each wellsite's production. This report for the period July 2006-June 2007 describes the monitoring programme implemented by the Taranaki Regional Council to assess the Company's environmental performance during the period under review, and the results and effects of the Company's activities.

67. The Company holds a total of 11 resource consents associated with the two production stations, which include a total of 80 conditions setting out the requirements that the Company must satisfy. The Company holds 2 consents to allow it to take and use water, 2 consents to discharge stormwater onto and into land and into an unnamed tributary of the Manawapou River, 3 consents to discharge stormwater/wastewater into the Ngaere Stream, 1 consent to discharge sanitary and domestic wastewater by seepage to ground, and 3 consents to discharge into the air at the two sites in question.

68. The Council's monitoring programme for the year under review included 12 inspections, 5 water samples collected for physicochemical analysis, 2 biological surveys of receiving waters, and 3 ambient air quality analyses.

69. The monitoring showed that the Company's production stations were generally well managed and maintained. This is in line with the findings in previous monitoring years.

70. During the year, the Company demonstrated a high level of environmental performance and compliance with the resource consents for both the Rimu and Waihapa Production Stations.

71. This report includes recommendations for the 2007-2008 year.

Decision-making obligations

72. Part 6 (Planning, decision-making and accountability) of the Local Government Act 2002 has been considered and documented in the preparation of this agenda item. The recommendation(s) made in this item comply with the decision-making obligations of the Act.

Policy considerations

73. This memorandum and the associated recommendations are consistent with the policy documents and positions adopted by this Council under various legislative frameworks including, but not restricted to, the Local Government Act 2002, the Resource Management Act 1991 and the Biosecurity Act 1993.

Financial considerations

74. This memorandum and the associated recommendations are consistent with the Council's adopted Long-Term Council Community Plan and estimates. Any financial information included in this memorandum has been prepared in accordance with generally accepted accounting practice.

Legal considerations

75. This memorandum and the associated recommendations comply with the appropriate statutory requirements imposed upon the Council.

Recommendations

THAT the Taranaki Regional Council:

1. receives the Methanex Motunui and Waitara Valley Combined Monitoring Programme Annual Report January-December 2007 and adopts the specific recommendations therein;
2. receives the Waitara Marine Outfall Bacteriological Monitoring Programme Annual Report 2007 and adopts the specific recommendations therein;
3. receives the Waitara Marine Outfall Ecological Monitoring Programme Annual Report 2007 and adopts the specific recommendations therein;
4. receives the Waitara Waste Water Treatment Plant Monitoring Programme Annual Report 2007 and adopts the specific recommendations therein;
5. receives the Hongihongi and Herekawe Streams Joint Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein;
6. receives the New Plymouth District Council Water Supplies and Structures Monitoring Programme Annual Report 2002-2007 and adopts the specific recommendations therein;
7. receives the Egmont Stone Limited Quarry Monitoring Programme Biennial Report 2005-2007 and adopts the specific recommendations therein;
8. receives the Swift Energy NZ Limited Waihapa & Rimu Production Stations Monitoring Programme Annual Report 2006-2007 and adopts the specific recommendations therein;

Approved:

GK Bedford
Director—Environment Quality

B G Chamberlain
Chief Executive

22 July 2008

ITEM SEVEN

**Memorandum to
Chairperson and Members
Consents and Regulatory Committee**

[Back to index](#)

**Unauthorised Incident Register
26 May 2008 to 30 June 2008**

Purpose

1. This memorandum has been prepared to allow the Council to consider and receive the Unauthorised Incident Register for the period of 26 May 2008 to 30 June 2008.

Background

2. The Council receives and responds to pollution events throughout the year. These are recorded in the Unauthorised Incident Register together with the results of investigations and any follow-up actions. All unauthorised incidents are publicly reported to the Council through the Consents and Regulatory Committee.
3. Attached is the Unauthorised Incident Register for the period of 26 May 2008 to 30 June 2008.

Unauthorised Incidents

4. There are 33 unauthorised incidents reported. Of these, 14 incidents relate to air and 19 relate to water.
5. There were a total of 540 unauthorised incidents recorded and responded to in the 2007/2008 year.

Recommendation

THAT the Taranaki Regional Council:

1. receives the Unauthorised Incident Register for the period of 26 May 2008 to 30 June 2008 adopts the recommendations therein.

Approved:

A D McLay
Director – Resource Management

B G Chamberlain
Chief Executive

UIR NO: 08-507
INVESTIGATED BY: Glen Candy
DATE: Tuesday, 27 May 2008
INCIDENT: Dead Stock in Watercourse
SOURCE: D D Williamson
305 Wataroa Road
PUNGAREHU
CATCHMENT: Kapoiaiaia
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding a dead cow in the Kapoiaiaia River, Pungarehu. Inspection of site found that a dead cow had been removed from the stream and placed on a river bank in a manner where it was likely to decompose and discharge contaminants to waterbody. The owner was spoken to and advised that she was required to remove the carcass. This was done.

RECOMMENDATION: No Further Action

UIR NO: 08-508
INVESTIGATED BY: Glen Candy
DATE: Wednesday, 28 May 2008
INCIDENT: Drainage
SOURCE: Garden View Trust 1 & 2
1728 Manaia Road
R D 29
KAPONGA
CATCHMENT: Kapuni
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding the Kapuni River running dirty, at Manaia Road, Kaponga. At time of inspection the waterbody was running clear. Drainage works being undertaken near the stream were complying with rules in the Regional Fresh Water Plan for Taranaki. The contractor was advised to ensure that silt controls were maintained.

RECOMMENDATION: No Further Action

UIR NO: 08-514
INVESTIGATED BY: Robin Hughes
DATE: Thursday, 29 May 2008
INCIDENT: Chicken Shed Odour
SOURCE: KC & SA Green
Beach Road
R D 44
URENUI
CATCHMENT: Waiongana
TYPE OF EVENT: Complaint

COMMENTS: A letter of complaint was received concerning odours emanating from a poultry farm on Airport Drive, New Plymouth. The letter outlined concerns about on-going odour and the conditions on the consent. An odour survey was carried out in the vicinity of the poultry farm and at the time of inspection no odours were present off-site. The complainant was spoken to and her concerns were discussed. An annual inspection of the poultry farm was undertaken a week prior to this inspection, all consent conditions were being complied with. The matter of consent conditions was handed over to the Consents Section.

RECOMMENDATION: No Further Action

UIR NO: 08-509
INVESTIGATED BY: Michael Nager
DATE: Saturday, 31 May 2008
INCIDENT: Dairy Effluent Discharge
SOURCE: Sandford Bros Limited
2118 Skeet Road
R D 28
MANAIA
CATCHMENT: Mimi
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding dairy effluent being dumped beside Mokau Road, Uriti. Inspection found that Sandfords Trucking Ltd had been dumping effluent from stocktrucks on the side of the road. No effluent had discharged to any waterbody. A phone call was made to the Company and they were informed of the rules relating to this matter and advised of locations of effluent dump stations in the region. The company undertook to inform their drivers not to dump effluent on the roadsides.

RECOMMENDATION: No Further Action

UIR NO: 08-510
INVESTIGATED BY: Michael Nager
DATE: Sunday, 1 June 2008
INCIDENT: Rendering Plant Odour
SOURCE: Taranaki By-Products Limited
P O Box 172
HAWERA
CATCHMENT: Inaha
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding odour discharging from a rendering plant on Kohiti Road, Okaiawa. An odour survey was undertaken in the vicinity of the complainant's property and the rendering plant. Only noticeable pond and plant odours were found outside the complainant's house and at various locations downwind of the plant.

RECOMMENDATION: No Further Action

UIR NO: 08-511
INVESTIGATED BY: Michael Nager
DATE: Monday, 2 June 2008
INCIDENT: Rendering Plant Odour
SOURCE: Taranaki By-Products Limited
P O Box 172
HAWERA
CATCHMENT: Inaha
TYPE OF EVENT: Complaint

See Separate Report

UIR NO: 08-512
INVESTIGATED BY: Michael Nager
DATE: Monday, 2 June 2008
INCIDENT: Discoloration in Stream
SOURCE: Natural Event
CATCHMENT: Waiwhakaiho
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding discolouration of the Waiwhakaiho River at Egmont Village. Inspection found that the river was discoloured at the National Park boundary. It is likely that this was caused by a slip on the mountain.

RECOMMENDATION: No Further Action

UIR NO: 08-513
INVESTIGATED BY: Bill Cropskey
DATE: Tuesday, 3 June 2008
INCIDENT: Effluent Discharge
SOURCE: Anonymous
CATCHMENT: Hangatahua (Stony)
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding wandering stock entering a river at the end of Komene Road, Okato. Investigation found that stock had unrestricted access along the beach front to the Stony River mouth. There was also evidence that stock had entered the river. The landowner was contacted and undertook to remove any stock at river mouth and to ensure the lessee's fencing was secure. A meeting will be held with council staff and land occupiers to discuss a permanent solution for this problem.

RECOMMENDATION: No Further Action At This Stage

UIR NO: 08-515
INVESTIGATED BY: Glen Candy
DATE: Wednesday, 4 June 2008
INCIDENT: Paint odours
SOURCE: Anonymous
CATCHMENT: Te Henui
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding paint odours emanating from a site at Buller Street, New Plymouth. Investigation could not find any paint odour in the vicinity of the site.

RECOMMENDATION: No Further Action

UIR NO: 08-516
INVESTIGATED BY: Glen Candy
DATE: Thursday, 5 June 2008
INCIDENT: Dumping rubbish
SOURCE: Department of Conservation
P O Box 462
NEW PLYMOUTH
CATCHMENT: Waitara
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding the dumping of roadside cleanings near a reserve at Tarata. Investigations found that grass sods had been tipped over bank. There was no discharge to any waterbody.

RECOMMENDATION: No Further Action

UIR NO: 08-517
INVESTIGATED BY: Glen Candy
DATE: Thursday, 5 June 2008
INCIDENT: Rendering Plant Odour
SOURCE: Taranaki By-Products Limited
P O Box 172
HAWERA
CATCHMENT: Inaha
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding odour from a rendering plant near Okaiawa. Investigations found that only a noticeable cooking odour was present along Ahipaipa Road, Okaiawa.

RECOMMENDATION: No Further Action

UIR NO: 08-518
INVESTIGATED BY: Bill Crowskey
DATE: Friday, 6 June 2008
INCIDENT: Dam/Diversion
SOURCE: NW & DM King
509 Upland Road
R D 2
NEW PLYMOUTH
CATCHMENT: Huatoki
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding the construction of a small dam upstream of the complainant's property at Upland Road, Inglewood. Investigation found that the complainant was concerned that the recently constructed dam could burst after heavy rain and consequently potentially damage their own race culvert below the dam. The dam was constructed within rules of the Regional Fresh Water Plan for Taranaki and is a permitted activity.

RECOMMENDATION: No Further Action

UIR NO: 08-522
INVESTIGATED BY: Glen Candy
DATE: Saturday, 7 June 2008
INCIDENT: Rendering Plant Odour
SOURCE: Taranaki By-Products Limited
P O Box 172
HAWERA
CATCHMENT: Inaha
TYPE OF EVENT: Complaint

See Separate Report

UIR NO: 08-519
INVESTIGATED BY: Bill Crofskey
DATE: Monday, 9 June 2008
INCIDENT: Unauthorised Discharge
SOURCE: Tegel Foods Limited
Private Bag 2015
NEW PLYMOUTH
CATCHMENT: Mangati
TYPE OF EVENT: Self-Notification

COMMENTS: Self notification was received from the Tegel processing plant at Paraitē Road, Bell Block concerning an acid detergent spill on site. Investigation found that a forklift accident had resulted in approximately 100 litres of Principal acid detergent being spilt from a punctured container. Approximately 98 litres was contained on site and was removed via trade waste disposal. There were no effects on any waterbody.

RECOMMENDATION: No Further Action/Costs Recovered

UIR NO: 08-524
INVESTIGATED BY: Michael Nager
DATE: Tuesday, 10 June 2008
INCIDENT: Sediment Discharge
SOURCE: Taranaki By-Products Limited
P O Box 172
HAWERA
CATCHMENT: Inaha
TYPE OF EVENT: TRC Staff Compliance Monitoring

COMMENTS: During routine monitoring it was found that inadequate silt controls were in place at earthworks being undertaken at Kohiti Road, Okaiawa. Inspection found that willows had been removed from the banks of the Inaha Stream. Inadequate silt controls were in place. Company staff undertook to install silt controls that day. This was done.

RECOMMENDATION: No Further Action

UIR NO: 08-523
INVESTIGATED BY: Michael Nager
DATE: Tuesday, 10 June 2008
INCIDENT: General air emissions
SOURCE: Taranaki By-Products Limited
P O Box 172
HAWERA
CATCHMENT: Inaha
TYPE OF EVENT: TRC Staff Compliance Monitoring

COMMENTS: During routine monitoring it was found that resource consent conditions were not being complied with at a rendering plant in Okaiawa. Investigation found that the door to the fallen stock receiving floor had come off the runners, and been left open, which is in breach of special condition 50 of resource consent 4058-3. A recently constructed internal wall separates the receiving area from the cooking area. A phone call was made to the company and they undertook to make the repairs later that day. This was done.

RECOMMENDATION: No Further Action/Costs Recovered

UIR NO: 08-520
INVESTIGATED BY: Bill Crofskey
DATE: Tuesday, 10 June 2008
INCIDENT: Vegetation in Watercourse
SOURCE: Anonymous
CATCHMENT: Herekawe
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding clearing of vegetation and stream works in the Herekawe Stream. Investigation found that a property occupier had cleared vegetation along Herekawe Stream in order to erect boundary fence to prevent sheep entering his property. Minimal stream bed disturbance had occurred during vegetation clearance. The property owner was advised to clear the vegetation from near the stream and dispose of it in an appropriate manner.

RECOMMENDATION: No Further Action

UIR NO: 08-525
INVESTIGATED BY: Glen Candy
DATE: Thursday, 12 June 2008
INCIDENT: Rendering Plant Odour
SOURCE: Taranaki By-Products Limited
P O Box 172
HAWERA
CATCHMENT: Inaha
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding odour emanating from a rendering plant in Okaiawa. Only noticeable odours were found off-site. A plant inspection was undertaken with the Plant Manager. This inspection found that plant was operating within resource consent conditions.

RECOMMENDATION: No Further Action

UIR NO: 08-526
INVESTIGATED BY: Michael Nager
DATE: Thursday, 12 June 2008
INCIDENT: General air emissions
SOURCE: Unsourced
CATCHMENT: Waihi 5 (Waihi)
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding odours on County Drive, Hawera. An odour survey was undertaken along County Drive. Only noticeable silage odours were found. This is the result of normal farming practice.

RECOMMENDATION: No Further Action

UIR NO: 08-527
INVESTIGATED BY: Michael Nager
DATE: Sunday, 15 June 2008
INCIDENT: Chicken Shed Odour
SOURCE: KC & SA Green
Beach Road
R D 44
URENUI
CATCHMENT: Waiongana
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding odours from a poultry farm on Airport Drive, Bell Block. An odour survey was undertaken along Airport Drive and no odours were detected from the poultry farm.

RECOMMENDATION: No Further Action

UIR NO: 08-528
INVESTIGATED BY: Rik Caskey
DATE: Monday, 16 June 2008
INCIDENT: Unknown
SOURCE: Stevenson MI & PM Family Trust
P O Box 14
OPUNAKE
CATCHMENT: Oeo
TYPE OF EVENT: TRC Staff Notification

COMMENTS: A complaint was received about stock grazing a riparian area on the banks of the Oeo Stream just above State Highway 45, Opunake. During the inspection the sharemilker was advised to ensure that all stock are kept out of the riparian area.

RECOMMENDATION: No Further Action

UIR NO: 08-529
INVESTIGATED BY: Shane Reynolds
DATE: Tuesday, 17 June 2008
INCIDENT: Water Take
SOURCE: Stratford District Council
P O Box 320
STRATFORD 4352
CATCHMENT: Patea
TYPE OF EVENT: TRC Staff Notification

COMMENTS: Numerous requests were made to Stratford District Council to supply water take abstraction data for four sites as per resource consent conditions. No data was forthcoming. A meeting was held with staff from Stratford District council and all recorded information has been received.

RECOMMENDATION: No Further Action

UIR NO: 08-530
INVESTIGATED BY: Rik Caskey
DATE: Tuesday, 17 June 2008
INCIDENT: Effluent Discharge
SOURCE: Chatterton LA [Waitara] Limited
P O Box 68
WAITARA
CATCHMENT: Waitara
TYPE OF EVENT: TRC Staff Notification

COMMENTS: During a routine monitoring inspection dairy effluent was found to be discharging into a small creek at Mould Street, Waitara. An inspection of the neighbouring LA Chatterton site found effluent being pumped onto land and flowing into the creek in breach of resource consent 5643-1. A letter of explanation was received. As a result of the investigation an Infringement Notice (\$750.00) was issued under section 338(1)(a) of the Resource Management Act 1991 and Council's delegated authority.

RECOMMENDATION: No Further Action

UIR NO: 08-531
INVESTIGATED BY: Rik Caskey
DATE: Wednesday, 18 June 2008
INCIDENT: Unknown
SOURCE: A & EN Barkla
20 Disraeli Street
HAWERA
CATCHMENT: Inaha
TYPE OF EVENT: TRC Staff Notification

COMMENTS: Notification was received regarding a fence that had been pulled down along a riparian section of the Inaha Stream at Lower Inaha Road, Manaia. Inspection found that a small area of fencing had been removed in breach of resource consent 5887-1, to take water from the Inaha Stream. Discussions were held with the new owner who undertook to repair the fencing. This was done.

RECOMMENDATION: No Further Action

UIR NO: 08-532
INVESTIGATED BY: Rawiri Mako
DATE: Thursday, 19 June 2008
INCIDENT: General air emissions
SOURCE: TBS Coatings Limited
P O Box 7057
Fitzroy
NEW PLYMOUTH
CATCHMENT: Waitaha 1 (Waitaha)
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received concerning dust and odour emanating from a sandblasting and painting site on Corbett Road, Bell Block. Investigation found that there were no dust or odour emissions from the site. All operations were being well managed and all consent conditions were being complied with.

RECOMMENDATION: No Further Action

UIR NO: 08-533
INVESTIGATED BY: Rawiri Mako
DATE: Thursday, 19 June 2008
INCIDENT: General air emissions
SOURCE: Auto City Panel & Paint
7 Manadon St
Spotswood
NEW PLYMOUTH
CATCHMENT: Herekawe
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received concerning paint odours from a site on Manadon Street, New Plymouth. At the time of inspection the panel and paint site was closed and there were no emissions off-site.

RECOMMENDATION: No Further Action

UIR NO: 09-535
INVESTIGATED BY: Rawiri Mako
DATE: Friday, 20 June 2008
INCIDENT: Natural Event
SOURCE: Unsourced
CATCHMENT: Timaru
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received concerning an odour coming from the Timaru Stream at the river mouth. Investigation found that there was a sulphur type odour from the water. However the stream was running clear and there was no odour present twenty metres upstream. No source for any discharge could be traced. Samples were taken. A reinspection was undertaken two days later and there was no odour present.

RECOMMENDATION: No Further Action

UIR NO: 08-534
INVESTIGATED BY: Michael Nager
DATE: Saturday, 21 June 2008
INCIDENT: Hazardous Substances Incident
SOURCE: S R Bracegirdle
Lepper Road
R D 6
INGLEWOOD
CATCHMENT: Waiwhakaiho
TYPE OF EVENT: Third Party Notification

COMMENTS: Notification was received from the New Zealand Fire Service regarding a building on fire on Clemow Road, New Plymouth. Inspection found a building had been on fire that housed a tannery and fibreglass factory. Chemical containers were damaged by the fire, asbestos cladding had exploded and discharged onto a nearby road and reserve. Contaminated water from fighting the fire was contained in a bunded area and was trucked away for disposal. The Insurance Company arranged a contractor to clean up the asbestos, remove the chemicals and demolish the damaged section of the building. The chemicals and asbestos were disposed of at the Colson Road landfill. Minimal environmental effects are expected.

RECOMMENDATION: No Further Action

UIR NO: 08-536
INVESTIGATED BY: Rawiri Mako
DATE: Saturday, 21 June 2008
INCIDENT: Dead Stock in Watercourse
SOURCE: Unsources
CATCHMENT: Kaipokonui
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received about a dead cow on the bank of the Kaipokonui Stream. Investigation found that the dead cow was on the bank but not likely to enter the waterbody. The complainant/landowner was advised that he should dispose of the carcass in an appropriate manner.

RECOMMENDATION: No Further Action

UIR NO: 08-540
INVESTIGATED BY: Tim Payne
DATE: Thursday, 26 June 2008
INCIDENT: Dumping rubbish
SOURCE: MK Clegg
102 Harbour Village Drive
Gulf Harbour
WHANGAPARAOA
CATCHMENT: Waitara
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received concerning demolition material that had been dumped on the bank of the Mangahinau Stream at Brookes Terrace in Waitara. Investigation found that a vacant residential section appeared to have been used as a dumpsite for quite some time. Materials such as greenwaste, concrete and soil were found in the dump area. Local residents have also dumped a small amount of domestic rubbish. The landowner was contacted and has undertaken to fence the section and erect a 'no dumping' sign. This has been done.

RECOMMENDATION: No Further Action At This Stage

UIR NO: 08-537
INVESTIGATED BY: Bill Crofskey
DATE: Thursday, 26 June 2008
INCIDENT: General air emissions
SOURCE: Aeromarine Industries Ltd.
P O Box 2097
TIMARU
CATCHMENT: Herekawe
TYPE OF EVENT: Complaint

COMMENTS: A complaint was received regarding paint odours from a fibre manufacturing site at Manadon Street, New Plymouth. Investigation found objectionable odours were present off-site. Abatement Notice No.11320 was issued requiring works to be undertaken to ensure that no objectionable or offensive odours discharge beyond the boundary of the site. Reinspection will take place after 14 July 2008.

RECOMMENDATION: No Further Action

UIR NO: 08-538
INVESTIGATED BY: Michael Nager
DATE: Friday, 27 June 2008
INCIDENT: Excavation
SOURCE: Murray Phillips Bulldozing Limited
P O Box 74
HAWERA
CATCHMENT: Tangahoe
TYPE OF EVENT: TRC Staff Compliance Monitoring

COMMENTS: During routine monitoring it was found that earthworks were being undertaken without silt controls in place on State Highway 3, Hawera. Inspection found that earthworks had been undertaken beside the Tawhiti Stream, 30 metres upstream of the Fonterra water intake. There were no silt controls in place which resulted in a significant amount of sediment discharging to the Tawhiti Stream. A letter seeking explanation has been sent. Enforcement action is being considered.

RECOMMENDATION: Investigation Continuing

UIR NO: 08-539
INVESTIGATED BY: Michael Nager
DATE: Saturday, 28 June 2008
INCIDENT: Dairy Effluent Discharge
SOURCE: BO & DM Williams & Hanscombe
366 Ratapiko Road
R D 10
INGLEWOOD
CATCHMENT: Waitara
TYPE OF EVENT: Self-Notification

COMMENTS: Notification was received regarding an oxidation pond wall that was collapsing on Ratapiko Road, Inglewood. Inspection of the oxidation pond system found that due to heavy rain large cracks had appeared in the hillside below the first pond. The pond was discharging through the cracks and it was likely that the hillside would slip into the stream below the ponds. The owner undertook to employ a contractor to pump out the ponds as soon as possible. This was done.

RECOMMENDATION: No Further Action
