

Coastal Management Area C: Open Coast

Structures

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy References
Reconstruction, alteration or removal and replacement of an existing structure for maintenance	C1.1	<ul style="list-style-type: none"> Activity is for the purpose of maintaining the structure in good repair; Size of the structure will not increase beyond original size; Sediment disturbance will not decrease the visual clarity of water by more than 50% outside a 50 metre radius zone of mixing; No contaminant will be released into coastal water; Activity complies with the general standards in Section 4.4; At least one working day before the maintenance commences, the Taranaki Regional Council is informed that the maintenance activity is to occur. 	Permitted			
Reconstruction, alteration or removal and replacement of an existing structure for maintenance , and related occupation of the coastal marine area, and related disturbance of the foreshore and seabed, and the activity does not come within and/or comply with rule C1.1	C1.2	<ul style="list-style-type: none"> Activity is for the purpose of maintaining structure in good repair. 	Discretionary	May be non-notified without written approval	<ul style="list-style-type: none"> Effects on water quality Noise emissions Light emissions Effects on ecosystems Disturbance of the foreshore and seabed; Method of works Public access Duration of consent Timing of works Monitoring Review Administrative charges 	1.1(d), 2.1, 2.3, 3.1, 3.2, 8.1, 9.10, 11.1, 11.1, 14.1, 14.2, 14.3
Placement of an outfall structure	C1.3	<ul style="list-style-type: none"> Structure has internal diameter 600 mm or less and extends 2 metres or less into the coastal marine area; No erosion, scour or deposition results from placement or use of the structure; Structure is designed or placed to prevent tidal backflow and fish entrapment; Structure is to have the minimum external diameter necessary for the safe and efficient operation of the structure. 	Permitted			
Erection or placement of a navigation aid for marine transport , and related	C1.4	<ul style="list-style-type: none"> Structure does not interfere with New Plymouth Airport Flight Path Protection Surfaces shown in Section 4.3. 	Controlled	May be non-notified without written approval	<ul style="list-style-type: none"> Occupation and public access Noise emissions Light emissions 	1.1(d), 2.1, 2.3, 6.2, 6.5, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3

occupation of the coastal marine area (including renewal of occupation), and related disturbance of the foreshore and seabed					<ul style="list-style-type: none"> • Disturbance of foreshore or seabed during placement • Effects on water quality • Method of construction or placement • Timing of works • Duration of consent and removal of structure • Height of structure • Monitoring • Review • Administrative charges 	
Removal or demolition of a structure, excluding the Waitara River control arms or Patea River control arms	C1.5	<ul style="list-style-type: none"> • No waste will be placed, or any contaminant released, into the coastal marine area; • Structure will be removed completely from the coastal marine area; • Sediment disturbance will not decrease the visual clarity of water by more than 50% outside a 50 metre zone of mixing. • Removal or demolition of structure will not significantly affect sediment movement or lead to increased erosion or scour; • Activity complies with the general standards in Section 4.4; • Structure is not on the Register of Historic Places, historic areas, wahi tapu areas or otherwise subject to the Historic Places Act 1993 or any other legislation applying to historic places; • At least one working day before removal or demolition commences, the Taranaki Regional Council is informed that the activity is to occur. 	Permitted			
Removal or demolition of a structure and the activity does not come within and/or comply with rule C1.5, and related disturbance of the foreshore and seabed	C1.6		Discretionary	May be non-notified without written approval	<ul style="list-style-type: none"> • Coastal erosion effects • Water quality effects • Disposal of waste • Remains of structure in coastal marine area • Disturbance of foreshore or seabed during removal • Method of demolition or removal • Effects on ecosystems 	1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.2, 6.3, 6.5, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3

					<ul style="list-style-type: none"> • Restoration of foreshore and seabed • Public access during removal • Noise emissions • Light emissions • Timing of works • Duration of consent • Monitoring • Review • Administrative charges 	
Erection or placement of a large structure or structures, and related occupation of the coastal marine area	C1.7	<ul style="list-style-type: none"> • Structure impounds or effectively contains 4 hectares or more of the coastal marine area. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 8.1, 8.2, 9.10, 11.1, 11.2, 13.1, 13.2, 14.1, 14.2, 14.3
Erection or placement of a large structure or structures, and related occupation of the coastal marine area	C1.8	<ul style="list-style-type: none"> • Structure presents a significant barrier to water or sediment movement; • Structure is 300 metres or more in length parallel to the line of mean high water springs (including separate structures the sum of whose individual length would be 300 metres or more). 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 8.1, 8.2, 9.10, 11.1, 11.2, 13.1, 13.2, 14.1, 14.2, 14.32
Erection or placement of a large structure or structures, and related occupation of the coastal marine area	C1.9	<ul style="list-style-type: none"> • Structure presents a significant barrier to water or sediment movement; • Structure is sited obliquely or perpendicular to the line of mean high water springs; • Structure is 100 metres or more in horizontal projection. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 8.1, 8.2, 9.10, 11.1, 11.2, 13.1, 13.2, 14.1, 14.2, 14.3
Erection or placement of a large structure or structures, and related occupation of the coastal marine area	C1.10	<ul style="list-style-type: none"> • Structure is for the storage or containment of any petroleum, petroleum products or chemicals in quantities of 50,000 litres or more. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 8.1, 8.2, 9.7, 9.10, 11.1, 11.2, 13.1, 13.2, 14.1, 14.2, 14.3
Erection, placement, reconstruction, alteration or extension of a structure and the activity or structure does	C1.11		Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 8.1, 8.2, 9.7, 9.10, 11.1, 11.2, 13.1, 13.2, 14.1, 14.2, 14.3

not come within and/or comply with any of rules C1.1 to C1.10						
---	--	--	--	--	--	--

Discharges

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy References
Discharge of water from an aquifer into coastal water or water in an aquifer in the coastal marine area	C2.1	<ul style="list-style-type: none"> No contaminants are added to the discharge water; Saline water is not discharged into fresh water. 	Permitted			
Discharge of uncontaminated water or stormwater into water or onto land in the coastal marine area	C2.2	<ul style="list-style-type: none"> This rule excludes any stormwater discharge from a stormwater catchment which contains any industrial or trade premises; The following contaminants, if present in the stormwater discharge, shall not exceed the following limits: <ul style="list-style-type: none"> (i) oil and grease 15 gm⁻³; (ii) suspended solids 100 gm⁻³; Stormwater discharge occurs from a road, roof, yard, paved area or grassed area; Discharge is able to be discharged through a 600 mm (internal diameter) pipe. 	Permitted			
	C2.3	<ul style="list-style-type: none"> Discharge occurs from a stormwater catchment which contains one or more industrial or trade premises. 	Discretionary	May be non-notified without written approval	<ul style="list-style-type: none"> Location of discharge Effects on ecosystems Effects on water quality Erosion effects on foreshore or seabed Quality of discharge and possible treatment before discharge Contingency planning to prevent contaminant discharges Duration of consent Monitoring Review Administrative charges 	1.1(d), 2.1, 2.3, 5.4, 9.3, 9.5, 9.6, 9.7
Discharge of petroleum dispersants into water or onto land in the coastal marine area	C2.4	<ul style="list-style-type: none"> Dispersant is used in the event of a marine oil spill; Discharge is of a dispersant of petroleum approved for use in marine oil spills by the Maritime Safety Authority; Dispersant is applied at the rates and by the methods recommended by the manufacturer; 	Permitted			

		<ul style="list-style-type: none"> Dispersant is not applied in area where the water depth is less than 10 metres. 				
Discharge of human sewage into water or onto land in the coastal marine area	C2.5	<ul style="list-style-type: none"> Discharge does not pass through soil or wetland. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 5.4, 5.5, 8.1, 9.1, 9.2, 9.3, 9.4, 9.5, 9.7, 13.1, 14.1, 14.2, 14.3
Discharge of contaminants or water into water or onto land in the coastal marine area and the discharge does not come within and/or comply with any of rules C2.1 to C2.5	C2.6	<ul style="list-style-type: none"> Discharge gives rise to any or all of the following effects in the receiving waters, after reasonable mixing: <ul style="list-style-type: none"> (a) production of conspicuous oil or grease films, scums, or foams, or floatable or suspended materials; (b) conspicuous change in colour or visual clarity; (c) emission of objectionable odour; (d) significant adverse effects on aquatic life; and such effects are not of a temporary nature or associated with necessary maintenance work. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 5.4, 5.5, 8.1, 9.1, 9.2, 9.3, 9.5, 9.7, 13.1, 14.1, 14.2, 14.3
Discharge of contaminants or water into water or onto land in the coastal marine area and discharge does not come within and/or comply with rule C2.6	C2.7		Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 5.4, 5.5, 8.1, 9.1, 9.2, 9.3, 9.5, 9.7, 13.1, 14.1, 14.2, 14.3
Discharges of contaminants to air in the coastal marine area which are restricted by Section 15(1) of the Act	C2.8		Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 8.1, 11.1, 11.2, 12.1, 12.3, 13.1, 13.2

Disturbance of, and deposits to, the foreshore and seabed

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy References
Disturbance of the seabed by drilling	C3.1	<ul style="list-style-type: none"> • Diameter of drill hole is 1.5 m or less; • Activity complies with the general standards in Section 4.4; • Activity occurs 2000 metres or more from the line of mean high water springs or the boundary of the Sugar Loaf Islands Marine Protected Area; • Drilling is not made directly into any reef system. 	Permitted			1.1(d), 2.1, 2.2, 6.5, 7.4, 9.7, 9.10, 13.1, 13.2, 14.1, 14.2, 14.3
Disturbance of foreshore and seabed, and deposit of substance on the foreshore and seabed, for stream diversion or stream mouth clearance	C3.2	<ul style="list-style-type: none"> • Disturbance occurs for purpose of diverting Wairau Stream, Waimoku Stream or any river less than 3 metres wide at its mouth; • Mouth clearance is for the purposes of river control, water quality or any other of the Taranaki Regional Council's statutory purposes, regardless of who conducts the works. • Material removed is replaced on foreshore or seabed that consists of the same type of material; • Activity complies with the general standards in Section 4.4; • Activity does not restrict public access along the coastal marine area for more than one week; • At least one working day before the activity commences, the Taranaki Regional Council is informed that the activity is to occur. 	Permitted			
Disturbance of foreshore or seabed, and deposit of substance on the foreshore and seabed, for clearance of outfalls, intake structures or culverts	C3.3	<ul style="list-style-type: none"> • Disturbance is for the purpose of removing accumulated sediment that is adversely affecting the use of a culvert, outfall or intake structure; • Amount of material removed is the minimum necessary to allow reasonable use of the structure; • Material removed is replaced on foreshore or seabed that consists of the same type of material; • Activity complies with the general standards in Section 4.4; • Activity does not significantly restrict public access along the coastal marine area; • At least one working day before the activity commences, the Taranaki Regional Council is informed that the activity is to occur. 	Permitted			
Disturbance, damage or destruction of foreshore and seabed, including any removal of sand, shell,	C3.4	<ul style="list-style-type: none"> • Disturbance of material: <ol style="list-style-type: none"> (i) in volumes greater than 50 000 cubic metres; or (ii) extracted from areas of 4 hectares or more; or (iii) extending 1000 metres or more over foreshore and seabed. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.5, 7.4, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3

shingle or other natural material						
Disturbance, damage or destruction of foreshore and seabed, including any removal of sand, shell, shingle or other natural material and the activity does not come within and/or comply with any of rules C3.1 to C3.4; and is restricted by section 12(1)(c), 12(1)(e) or 12(2) of the Act	C3.5		Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.5, 7.4, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy References
Deposit of substance onto the foreshore or seabed for beach replenishment	C3.6	<ul style="list-style-type: none"> • Deposit is for purpose of remedying or mitigating effects of coastal erosion; • Deposit is of material the same or similar in size, sorting and parent material to that of the foreshore and seabed on which it is to be deposited; • Deposit contains no contaminants other than sediment and incidentally-occurring flora and fauna within the material to be deposited. 	Discretionary		<ul style="list-style-type: none"> • Method and site of deposit • Volume and rate of deposit • Type and quality of deposited material • Effects on amenity values • Effects on water quality • Effects on marine life • Noise emissions • Sediment movement and erosion • Timing of deposit • Occupation and public access • Duration of consent • Monitoring • Review • Administrative charges 	1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.6, 7.4, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3
Deposit of substance in, on or under the foreshore or seabed for other purposes	C3.7	<ul style="list-style-type: none"> • Deposit is in volumes of more than 50 000 cubic metres at a site in any 12 month period, other than as provided for by rule C3.8. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.6, 7.4, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3
	C3.8	<ul style="list-style-type: none"> • Deposit is in volumes of more than 50 000 cubic metres in the area marked 'Spoil Disposal Area' on Map 7 of this plan, in any 12 month period. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.6, 7.4, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3
Deposit of substance in, on or under the foreshore or seabed for other purposes and the activity does not come within and/or comply with any of rules C3.1 to C3.8; and is restricted by Section 12(1)(d) of the Act	C3.9		Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.6, 7.4, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3

Reclamation

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy References
Reclamation or draining of any foreshore or seabed	C4.1	<ul style="list-style-type: none"> • Reclamation or draining: <ul style="list-style-type: none"> (i) exceeds 1 hectare in area; or (ii) extends 100 metre or more in any direction; or (iii) is itself of lesser dimensions than those specified in (i) and (ii) above, but which is connected to or part of another reclamation or reclamations which in combination exceed the dimensions specified in (i) and (ii) above. 	Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.4, 6.6, 7.1, 7.2, 7.3, 7.4, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3, 14.4
Reclamation or draining of any foreshore or seabed and the reclamation or draining does not come within and/or comply with rule C4.1	C4.2		Discretionary			1.1(d), 2.1, 2.3, 3.1, 3.2, 3.3, 6.4, 6.6, 7.1, 7.2, 7.3, 7.4, 8.1, 9.10, 11.1, 11.2, 13.1, 14.1, 14.2, 14.3, 14.4