

Uses of river and lake beds

(excluding the Hangatahua
(Stony) River catchment)

Existing structures

Advisory note: Rules 52-57; 59; 61 & 64 of this Plan do not apply to existing structures on river and lake beds associated with plantation forestry activities regulated under the *Resource Management (National Environmental Standards for Plantation Forestry) Regulations 2017* (NES-PF). The NES-PF regulations prevail over these rules in relation to plantation forestry.³⁶

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Use of existing structures in, on, under, or over the bed of a river or lake Note: This rule excludes existing structures on river and lake beds regulated by the NES-PF.	52	<ul style="list-style-type: none"> • Structure was lawfully established and in use at the date of public notification of this Plan; • Structure must not restrict the passage of fish; • There shall be no significant adverse effects on aquatic life or instream habitat. 	Permitted			

³⁶ The NES-PF regulations that prevail over the Plan rules identified above include Regulations 37 to 49 and 87-92.

Maintenance of structures

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Maintenance, repair reconstruction or minor upgrading of a structure, in, on, under, or over the bed of a river or lake. <i>Note: This rule excludes maintenance of structures on river and lake beds regulated by the NES-PF.</i>	53	<ul style="list-style-type: none"> Activity is for the purpose of maintaining structure in good repair or working order or for minor upgrading; No contaminants shall be released to the river or lake bed from equipment being used for the activity, and no refuelling of equipment shall take place on any area of the river or lake bed; Sediment disturbance shall not give rise to a decrease in visual clarity of water on more than 50% beyond a zone of reasonable mixing³⁷ that is persistent and ongoing; There shall be no significant adverse effects on aquatic life or instream habitat; All material removed from the structure and excess construction materials must be removed from the bed; Water diverted from the structure, for the purposes of carrying out the activity, shall be for a period of no more than 48 hrs; Disturbance of the bed is the minimum necessary to carry out the required works. 	Permitted			
Maintenance, repair, alteration, reconstruction or minor upgrading of an existing structure, in, on, under, or over the bed of a river or lake, that does not meet the conditions of Rule 53 <i>Note: This rule excludes maintenance of structures on river and lake beds regulated by the NES-PF.</i>	54	<ul style="list-style-type: none"> Activity is for the purpose of maintaining structure in good repair or working order or for minor upgrading. 	Controlled	May be non-notified without written approval	<ul style="list-style-type: none"> Effects on water quality; Effects on aquatic ecosystems; Effects on the values of the waterbody; Disturbance of the bed; The method and timing of works; Duration of consent; Monitoring and reporting requirements; Review of consent conditions and the timing and purpose of the review; Payment of administrative charges; Payment of financial contributions. 	3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.1, 6.6.2, 6.6.3, 6.6.6, 6.6.9

144

³⁷ Decrease in visual clarity will be measured using the standard black disc measure.

Removal of structures

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Removal, demolition or decommissioning of a structure, or any part of a structure, in, on, under, or over the bed of a river or lake <i>Note: This rule excludes removal of structures on river and lake beds regulated by the NES-PF.</i>	55	<ul style="list-style-type: none"> • There shall be no use of explosives in the water; • Structure does not alter the existing level of the bed by more than 500mm in vertical height; • Channel width of river (measured from bank to bank) is no greater than 10m; • Structure, or part of the structure being removed, must be completely removed from the bed; • The structure is not on or in an area listed on the Historic Places Trust Register or an identified wāhi tapu; • No significant erosion, scour or deposition results from the removal or demolition of the structure; • Disturbance of the bed is the minimum necessary to carry out the required works; • Between 1 May and 31 October there shall be no disturbance of any part of the bed covered by water; • Sediment disturbance shall not conspicuously change the visual clarity of the water beyond a zone of reasonable mixing³⁸; • There shall be no significant adverse effects on aquatic life or instream habitat; • No contaminants shall be released to the river or lake bed from equipment being used for the activity, and no refuelling of equipment shall take place on any area of the river or lake bed; • The Taranaki Regional Council shall be informed that the removal or demolition activity is to occur, at least two working days prior to its commencement. 	Permitted			

145

³⁸ See definition in section 2 of the Plan.

Removal of structures (continued)

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Removal, demolition or decommissioning of a structure, or any part of a structure, in, on, under, or over the bed of a river or lake, which does not meet the conditions of Rule 55 Note: This rule excludes removal of structures on river and lake beds regulated by the NES-PF.	56	<ul style="list-style-type: none"> Structure, or part of the structure being removed, must be completely removed from the bed. 	Controlled	May be non-notified without written approval	<ul style="list-style-type: none"> Duration of consent; Removal of accumulated sediment or bed material; Effects on water quality, aquatic ecosystems, and the relationship of Tangata Whenua with the water body; The diversion of water; Disturbance of the bed; Method and timing of works; Monitoring and reporting requirements; Review of consent conditions and the timing and purpose of the review; Payment of administrative charges; Payment of financial contributions. 	3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.1, 6.6.2, 6.6.3, 6.6.6, 6.6.7, 6.6.9

Access structures

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
<p>Construction, placement and use of a culvert, ford or bridge in, on, under or over the bed of a river³⁹</p> <p><i>Note: This rule excludes access structures on river and lake beds regulated by the NES-PF.</i></p>	57	<ul style="list-style-type: none"> • Cross sectional area of the river bed on or over which the culvert, ford or bridge is to be placed (measured from the top of each bank) is no greater than 10m²; • Structure shall not alter the natural course of the river nor reduce channel capacity to convey flood flows; • No significant erosion, scour or deposition results from placement of the structure; • Structure shall not restrict the passage of fish; • Excess construction materials shall be removed from the bed; • Sediment disturbance shall not conspicuously change the visual clarity of the water beyond a zone of reasonable mixing⁴⁰; • There shall be no significant adverse effects on aquatic life or instream habitat; • Disturbance of the bed shall be the minimum necessary to carry out the required works; • No contaminants shall be released to the river bed from equipment being used for the activity, and no refuelling of equipment shall take place on any area of the river bed; • Between 1 May and 31 October there shall be no disturbance of any part of the bed covered by water; • The Taranaki Regional Council shall be informed that the placement of the structure is to occur, at least two working days prior to the commencement of works; 	Permitted			
		<ul style="list-style-type: none"> • Culvert is not greater than 1m in diameter, with no more than 1m of fill over the culvert (measured from the bed level to the crest of the fill); • Culvert is not greater than 25m in length; • Ford raises the level of the bed no more than 300mm; • Bridge has no abutments or piers fixed in or on the bed; • Bridge soffit is placed level with or above adjoining ground level at the top of the bank; • No culverts shall be constructed, placed or used within a defined urban catchment⁴¹. 				

147

³⁹ Bridges may require a building consent from the relevant territorial authority under the Building Act 1991.

⁴⁰ See definition in Section 2 of the Plan.

⁴¹ Defined urban catchments are contained in Appendix IX of the Plan.

Access structures (continued)

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Construction, placement and use of culverts within defined urban catchments ⁴²	58	<ul style="list-style-type: none"> • Structure shall not alter the natural course of the river nor reduce channel capacity to convey flood flows; • Structure shall not restrict the passage of fish; • No significant erosion, scour or deposition shall result from the placement of the structure; • Excess construction materials shall be removed from the bed; • Disturbance of the bed shall be the minimum necessary to carry out the required works. 	Controlled	May be non-notified without written approval	<ul style="list-style-type: none"> • Effects on water quality; • Effects on aquatic ecosystems; • Effects on the values of the waterbody; • Disturbance of the bed; • Deposition on the bed; • Design of the structure; • The location, method and timing of works; • Duration of consent; • Monitoring and reporting requirements; • Review of consent conditions and the timing and purpose of the review; • Payment of administrative charges; • Payment of financial contributions. 	3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.1, 6.6.2, 6.6.3, 6.6.6, 6.6.9

⁴² Defined urban catchments are contained in Appendix IX of the Plan.

Barrier structures

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
<p>Construction, placement and use of a dam⁴³, weir, bed level control, or silt retention structure, that impounds water, in or on the bed of a river or lake</p> <p>Note: This rule excludes barrier structures on river and lake beds regulated by the NES-PF.</p>	59	<ul style="list-style-type: none"> • Structure has a maximum wall height (measured vertically from the downstream bed to the crest) of not more than 3m; • Catchment area upstream of the structure is not more than 25ha; • Structure must have an auxiliary spillway which is capable of conveying flood flows; • Structure must not impound water beyond the property on which it is built, unless agreed to in writing by any affected property owner(s); • No takes for domestic use, stock-watering, fire-fighting, or any other take authorised by a resource consent, shall be restricted by the construction, placement and use of the structure; • Structure must not alter the natural course of the river nor reduce channel capacity to convey flood flows; • No significant erosion, scour or deposition shall result from placement of the structure; • No contaminants shall be released to the river or lake bed from equipment being used for the activity, and no refuelling of equipment shall take place on any area of the river or lake bed; • Excess construction materials shall be removed from the bed; • Disturbance of the bed shall be the minimum necessary to carry out the required works; • Between 1 May and 31 October there shall be no disturbance of any part of the bed covered by water; • Sediment disturbance shall not conspicuously change the visual clarity of the water beyond a zone of reasonable mixing⁴⁴; • There shall be no significant adverse effects on aquatic life or instream habitat; • Structure shall not restrict the passage of fish; • The Taranaki Regional Council shall be informed that the placement of the structure is to occur, at least two working days prior to the commencement of works. 	Permitted			

⁴³ Dams greater than three metres in height require a building consent from the relevant territorial authority under the Building Act 1991.

⁴⁴ See definition in Section 2 of the Plan.

Other structures

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Construction, placement and use of structures undertaken by or on behalf of the Taranaki Regional Council for the purpose of river and flood control	60	<ul style="list-style-type: none"> No significant erosion, flooding scour or deposition shall result or be likely to result from placement of the structure; Works shall not cause a navigational hazard; Excess construction materials shall be removed from the bed; There shall be no significant adverse effects on aquatic life or instream habitat; Disturbance of the bed shall be the minimum necessary to carry out the required works; The Taranaki Regional Council shall be informed that the works are to occur, at least two working days prior to the commencement of works; Sediment disturbance shall not conspicuously change the visual clarity of water beyond a zone of reasonable mixing. 	Permitted			
Construction, placement and use of structures in, on, under or over the bed of a river or lake, excluding structures provided for in Rules 57-60 <i>Note: This rule excludes other structures on river and lake beds regulated by the NES-PF.</i>	61	<ul style="list-style-type: none"> Structures for the conveyance of stormwater shall be no greater than 150mm in diameter; Structure shall not cause a navigational hazard; Structure does not alter the natural course of the river nor reduce channel capacity during flood flows; There shall be no significant adverse effects on aquatic life or instream habitat; Structure does not cause significant erosion, scour or deposition; Disturbance of the bed shall be the minimum necessary to carry out the required works; No contaminants shall be released to the river or lake bed from equipment being used for the activity, and no refuelling of equipment shall take place on any area of the river or lake bed; Between 1 May and 31 October there shall be no disturbance of any part of the bed covered by water; Sediment disturbance will not conspicuously change the visual clarity of water beyond a zone of reasonable mixing⁴⁵; All construction materials shall be removed from the bed; Water is only diverted to the extent, and for the period, necessary to carry out the works; Structure shall not restrict the passage of fish. 	Permitted			

150

⁴⁵ See definition in Section 2 of the Plan.

Other structures (continued)

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Construction, placement and use of structures for the purpose of river and flood control in, on, under or over the bed of a river or lake which cannot meet the conditions of Rule 60	62	<ul style="list-style-type: none"> Length of structure shall be no more than 15 metres; Structure shall not result in any flooding or erosion of any properties; No significant erosion or scour shall result or be likely to result from placement of the structure; Excess construction materials shall be removed from the bed. 	Controlled	May be non-notified without written approval	<ul style="list-style-type: none"> Effects on water quality; Effects on aquatic ecosystems; Effects on the values of the waterbody; Disturbance of the bed; Deposition on the bed; Design of the structure; Future extensions of the structure; The location, method and timing of works; Duration of consent; Monitoring and reporting requirements; Review of consent conditions and the timing and purpose of the review; Payment of administrative charges; Payment of financial contributions. 	3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.1, 6.6.2, 6.6.3, 6.6.6, 6.6.9, 6.6.10
Construction, placement and use of piped or channelled stormwater structures in, on, under or over the bed of a river or lake in a defined urban catchment as shown in Appendix IX which does not meet the conditions of Rule 61	63	<ul style="list-style-type: none"> Structure has an internal diameter of 900mm or less, or an equivalent cross sectional area; An outfall structure shall extend no greater than 1 metre out from the toe of the bank and shall not cause a navigational hazard; No significant erosion, scour or deposition results from placement of the structure or the discharge from it; Excess construction materials shall be removed from the bed; Disturbance of the bed must be the minimum necessary to carry out the required works. 	Controlled	May be non-notified without written approval	<ul style="list-style-type: none"> Effects on water quality; Effects on aquatic ecosystems; Effects on the values of the waterbody; Disturbance of the bed; Deposition on the bed; Design of the structure; The location, method and timing of works; Duration of consent; Monitoring and reporting requirements; Review of consent conditions and the timing and purpose of the review; Payment of administrative charges; Payment of financial contributions. 	3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.1, 6.6.2, 6.6.3, 6.6.6, 6.6.9
Construction, placement and use of any structure that does not meet the standards, terms and conditions of Rules 52-63 Note: This rule excludes other structures on river and lake beds regulated by the NES-PF.	64		Discretionary			3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.1, 6.6.2, 6.6.3, 6.6.6, 6.6.9, 6.6.10

Plants

Advisory note: Rules 65-68 of this Plan do not apply to planting and removal of vegetation associated with plantation forestry activities regulated under the *Resource Management (National Environmental Standards for Plantation Forestry) Regulations 2017* (NES-PF). The NES-PF regulations prevail over these rules in relation to plantation forestry.⁴⁶

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Removal of vegetation from the bed of a river or lake for the purpose of river and flood control (excluding activities covered by Rule 78) Note: This rule excludes planting and removal of vegetation regulated by the NES-PF.	65	<ul style="list-style-type: none"> Vegetation removed must be completely removed from the bed; Disturbance of the bed is the minimum necessary to carry out the works; Removal of vegetation does not have significant adverse effects on aquatic life and instream habitat; Sediment disturbance shall not conspicuously change the visual clarity of water beyond a zone of reasonable mixing. 	Permitted			
The trimming and clearance of vegetation in the bed of a river or lake associated with the safe and efficient operation of bridges, pipelines, cableways and telecommunication lines Note: This rule excludes planting and removal of vegetation regulated by the NES-PF.	66	<ul style="list-style-type: none"> Vegetation removed must be completely removed from the bed; Sediment disturbance will not conspicuously change the visual clarity of water beyond a zone of reasonable mixing; Disturbance of the bed is the minimum necessary to carry out the works; No contaminants shall be released to the river or lake bed from equipment being used for the activity, and no refuelling of equipment shall take place on any area of the river or lake bed; There shall be no significant adverse effects on aquatic life or instream habitat. 	Permitted			
Removal of vegetation from the bed of human-made lakes Note: This rule excludes planting and removal of vegetation regulated by the NES-PF.	67	<ul style="list-style-type: none"> Vegetation removed shall be completely removed from the bed; Disturbance of the bed shall be the minimum necessary to carry out the works; The best practicable option shall be adopted at all times to prevent or minimise any actual or potential adverse effect on the environment arising from any disturbance activities. 	Controlled	May be non-notified without written approval	<ul style="list-style-type: none"> Effects on water quality; Effects on aquatic ecosystems; Effects on the values of the waterbody; Disturbance of the bed; Deposition on the bed; The location, method and timing of the activity; Duration of consent; Monitoring and reporting requirements; Review of consent conditions and the timing and purpose of the review; 	3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.4, 6.6.6, 6.6.9, 6.6.10

152

⁴⁶ The NES-PF regulations that prevail over the Plan rules identified above include Regulations 12; 14(3); 16(2); 17(1), (3) & (4).

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Planting, introduction or removal of vegetation from within the bed of a river or lake that is not provided for or does not meet the conditions of Rules 65-67 Note: This rule excludes planting and removal of vegetation regulated by the NES-PF.	68		Discretionary	May be non-notified	<ul style="list-style-type: none"> • Payment of administrative charges; • Payment of financial contributions. 	3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.4, 6.6.6, 6.6.9, 6.6.10

Other uses of river and lake beds

Advisory note: Rules 69, 74 and 76 of this Plan do not apply to other uses of river and lake beds associated with plantation forestry activities regulated under the *Resource Management (National Environmental Standards for Plantation Forestry) Regulations 2017* (NES-PF). The NES-PF regulations prevail over these rules in relation to plantation forestry.⁴⁷

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
The clearance or removal of debris ⁴⁸ from the bed of a river or lake for the purpose of river and flooding control <i>Note:</i> This rule excludes other uses of river and lake beds regulated by the NES-PF.	69	<ul style="list-style-type: none"> Debris shall not include sand, gravel or other bed material; Debris cleared must be completely removed from the bed; Disturbance of the bed shall be the minimum necessary to reduce the threat of flooding or erosion to an acceptable level; Between 1 May and 31 October there shall be no disturbance of any part of the bed covered by water; Activity shall not alter the natural course of the river; No erosion, scour or deposition shall result from the clearance; There shall be no significant adverse effects on aquatic life or instream habitat. 	Permitted			
Extraction of sand or gravel from the bed of a river for domestic or on-farm purposes	70	<ul style="list-style-type: none"> Sand or gravel is for private use on the property from which it is extracted; Quantity of bed material extracted is no greater than 15m³/yr; Disturbance of the bed shall be the minimum necessary to carry out the required works; Between 1 May and 31 October there shall be no disturbance of any part of the bed covered by water; Sand or gravel is extracted from an area of the river bed not covered by water at the time of extraction; Area from which sand or gravel is extracted is levelled out so that no mounds or depressions remain. 	Permitted			

154

⁴⁷ The NES-PF regulations that prevail over the Plan rules identified above include Regulations 54(3); 55; 56; 59; 60(3) & (4); 61(5); 65; 68; 69; 70(3) & (4); & 71; 74; 75; 83(2); and 84-92.

⁴⁸ Debris is material that may be obstructing river flows or causing a nuisance and includes tree trunks and branches, structures or parts of structures and dead stock (see Section 2 of this Plan for definition).

Other uses of river and lake beds (continued)

Activity	rule	standards/terms/conditions	classification	notification	Control/discretion	Policy reference
Extraction of sand, gravel, aggregate or rocks from a river or lake bed, or the recontouring of the bed, for flood and river control purposes carried out by or on behalf of the Taranaki Regional Council	71	<ul style="list-style-type: none"> • Extraction or recontouring must not restrict the passage of fish; • Between 1 May and 31 October there shall be no disturbance of any part of the bed covered by water; • There shall be no significant adverse effects on aquatic life or instream habitat; • Disturbance of the bed shall be the minimum necessary to carry out the required works; • The Taranaki Regional Council shall be informed that the works are to occur, at least two working days prior to the commencement of works; • Sediment disturbance shall not conspicuously change the visual clarity of water beyond a zone of reasonable mixing. 	Permitted			
Extraction of sand, gravel, aggregate or rocks from: <ul style="list-style-type: none"> • the bed of a lake that is not provided for or does not meet the conditions of Rules 70 and 71 or⁴⁹, • a river that does not meet the conditions of Rules 70 and 71 	72		Discretionary			3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.5, 6.6.6, 6.6.9, 6.6.10
Extraction of sand, gravel, aggregate or rocks from the bed of a river for purposes other than those specified in Rules 70 and 71	73		Prohibited			

⁴⁹ Where extraction occurs outside of a river or lake bed and groundwater seepage and stormwater accumulates, the extraction of material is not considered to be occurring from the bed of a lake.

Other uses of river and lake beds (continued)

activity	rule	standards/terms/conditions	classification	notification	Control/discretion	Policy reference
Realignment or modification of a stream or river <i>Note: This rule excludes other uses of river and lake beds regulated by the NES-PF.</i>	74	<ul style="list-style-type: none"> Catchment area upstream of the realignment or modification is no more than 25ha; Drainage channel shall be no greater than 4m² in cross-sectional area; Length of stream or river to be realigned or modified shall not exceed 200m;⁵⁰ No significant erosion, scour or deposition shall result or be liable to result from channel modification; Realignment or modification shall not restrict the passage of fish; Realignment or modification shall not cause flooding or erosion of downstream or adjacent properties; Disturbance of the bed is the minimum necessary to carry out the required works; The Taranaki Regional Council shall be informed that the realignment or channel modification work is to occur, at least two working days prior to its commencement; There shall be no significant adverse effects on aquatic life or instream habitat. 	Permitted			
Disturbance of the beds of human-made lakes by dredging	75	<ul style="list-style-type: none"> Disturbance of the bed shall be the minimum necessary to carry out the required works; The best practicable option shall be adopted at all times to prevent or minimise any actual or potential effect on the environment arising from any disturbance activities. 	Controlled	May be non-notified without written approval	<ul style="list-style-type: none"> Effects on water quality; Effects on aquatic ecosystems; Effects on the values of the waterbody; Disturbance of the bed Deposition on the bed The location, method and timing of the activity; Duration of consent; Monitoring and reporting requirements; Review of consent conditions and the timing and purpose of the review; Payment of administrative charges; Payment of financial contributions. 	3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.1, 6.6.9

⁵⁰ For the purpose of this rule the length of river or stream to be realigned or modified is defined as the length of river or stream on any particular property or contiguous property and includes any length of realignment or modification undertaken since the date that the Plan became operative.

Other uses of river and lake beds (continued)

Activity	Rule	Standards/Terms/Conditions	Classification	Notification	Control/Discretion	Policy Reference
Excavation, drilling, tunnelling, deposition of any substance, reclamation, and any other disturbance of the bed of a river or lake which is not provided for or does not meet the conditions of Rules 69, 74 and 75 Note: This rule excludes other uses of river and lake beds regulated by the NES-PF.	76		Discretionary			3.1.2, 3.1.3, 3.1.4, 3.1.5, 3.1.6, 3.1.7, 3.2.1, 3.2.2, 3.2.3, 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.1.5, 4.1.6, 5.1.1, 6.6.1, 6.6.9

